

EU Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
30495 with 30240	403440001 and Up	Groundsmaster 7200 Series Traction Unit with CE Kit 30240 installed	GM7200 NO DECK
30487TC with 30240	403440001 and Up	Groundsmaster 7210 Series Traction Unit with CE Kit 30240 installed	GM7210 W/O DECK, CRATED
30495TC with 30240	403440001 and Up	Groundsmaster 7200 Series Traction Unit with CE Kit 30240 installed	GM7200 W/O DECK, CRATED
30487TE with 30240	400000000 and Up	Groundsmaster 7210 Series Traction Unit with CE Kit 30240 installed	GM7210 W/O DECK, CRATED (TE)

Conform(s) to the following directives:

2000/14/EC (Noise), 2006/42/EC (Machinery Safety), 2014/30/EU (EMC)

Further, the following accessories/attachments conform to the directives indicated below when installed according to instructions on the models listed above:

Model	Description	Directive
03247	Operator Cooling Fan	2006/42/EC, 2014/30/EU
03248	Switch Panel	2006/42/EC, 2014/30/EU
30304	72in Guardian Completion Kit	2006/42/EC
30306	62in Guardian Completion Kit	2006/42/EC
30346	72in Fine Recycler Completion Kit	2006/42/EC
30353 and 30685	72in Base Deck with CE Kit	2006/42/EC
30481 and 30679	72in Side Discharge Deck with CE Kit	2006/42/EC
30359	Universal Sunshade	2006/42/EC
30374	Road Light Kit	2014/30/EU
30483	Jack Stand Kit	2006/42/EC
30377	Rear Quick Attach System	2006/42/EC
30378	V-plow Mounting Kit	2006/42/EC
30380	Aux. Hydraulic Power Kit	2006/42/EC
30382	Power Port/Elec Acc	2014/30/EU
30393	Debris Blower	2006/42/EC
30456 and 30658	60in Side Discharge Deck with CE Kit	2006/42/EC
30457 and 30683	62in Base Deck with CE Kit	2006/42/EC
31211 with 31213	Triple bag grass collection kit with blower (for deck 30456)	2006/42/EC
31211 with 31212	Triple bag grass collection kit with blower (for deck 30481)	2006/42/EC
30463	62in Rear Discharge Completion Kit	2006/42/EC
30669	Universal Sunshade, White	2006/42/EC
30671	Universal Sunshade, Red	2006/42/EC
30466	72in Rear Discharge Completion Kit	2006/42/EC
30750	V-Plow	2006/42/EC

Model	Description	Directive
31101 with 30687	100in Deck with CE Kit	2006/42/EC
105-7273	Striping Kit	2006/42/EC
108-5273	Leaf Mulching Kit—72in SDD	2006/42/EC
114-4090	Weight Bracket Kit	2006/42/EC
138-2700	Work Light Kit	2006/42/EC, 2014/30/EU
138-2699	Beacon Kit	2006/42/EC, 2014/30/EU
114-4096	Weight (42 lb)	2006/42/EC



Data for Noise Directive (2000/14/EC):

Model	Classification	Cutting Width (cm)	Measured Sound Power (dBA)*	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
30487TC/TE with 30240, 30481, and 30679	Lawn Mower	183	102	103	3150
30487TC/TE with 30240, 30456, and 30658	Lawn Mower	153	104	105	3150
30487TC/TE with 30240, 30456, 30658, 31211, and 31213	Lawn Mower	153	104	105	2920
30487TC/TE with 30240, 30353, 30685, and 30304	Lawn Mower	183	101	102	3150
30487TC/TE with 30240, 30353, 30685, and 30346	Lawn Mower	183	101	102	3150
30487TC/TE with 30240, 30353, 30685, and 30466	Lawn Mower	183	101	102	3150
30487TC/TE with 30240, 30457, 30683, and 30306	Lawn Mower	158	101	102	3150
30487TC/TE with 30240, 30457, 30683, and 30463	Lawn Mower	158	101	102	3150
30495 or 30495TC with 30240, 30481, and 30679	Lawn Mower	183	103	104	3150
30495 or 30495TC with 30240, 30456, and 30658	Lawn Mower	153	104	105	3150
30495 or 30495TC with 30240, 30456, 30658, 31211, and 31213	Lawn Mower	153	104	105	2920
30495 or 30495TC with 30240, 30353, 30685, and 30304	Lawn Mower	183	100	101	3150
30495 or 30495TC with 30240, 30353, 30685, and 30346	Lawn Mower	183	103	104	3150
30495 or 30495TC with 30240, 30353, 30685, and 30466	Lawn Mower	183	101	102	3150
30495 or 30495TC with 30240, 30457, 30683, and 30306	Lawn Mower	158	101	102	3150
30495 or 30495TC with 30240, 30457, 30683, and 30463	Lawn Mower	158	101	102	3150
30487TC/TE with 30240 and 31101 and 30687	Lawn Mower	254	104	105	3100

Determined in accordance with ISO 11094: 1991

Conformity Assessment: Annex VIII

Notified Body: SNCH 11, Route De Luxembourg, L-5230 Sandweiler

This declaration has been issued under the sole responsibility of the manufacturer.

The object of the declaration is in conformity with relevant Union harmonization legislation.

Certified:

A handwritten signature in black ink, appearing to read "John Heckel". The signature is written in a cursive style with a large initial "J".

John Heckel
Sr. Engineering Manager
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
January 31, 2019

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro Europe NV
Nijverheidsstraat 5
2260 Oevel
Belgium

EEA/UK Privacy Notice

Toro's Use of Your Personal Information

The Toro Company ("Toro") respects your privacy. When you purchase our products, we may collect certain personal information about you, either directly from you or through your local Toro company or dealer. Toro uses this information to fulfil contractual obligations - such as to register your warranty, process your warranty claim or to contact you in the event of a product recall - and for legitimate business purposes - such as to gauge customer satisfaction, improve our products or provide you with product information which may be of interest. Toro may share your information with our subsidiaries, affiliates, dealers or other business partners in connection these activities. We may also disclose personal information when required by law or in connection with the sale, purchase or merger of a business. We will never sell your personal information to any other company for marketing purposes.

Retention of your Personal Information

Toro will keep your personal information as long as it is relevant for the above purposes and in accordance with legal requirements. For more information about applicable retention periods please contact legal@toro.com.

Toro's Commitment to Security

Your personal information may be processed in the US or another country which may have less strict data protection laws than your country of residence. Whenever we transfer your information outside of your country of residence, we will take legally required steps to ensure that appropriate safeguards are in place to protect your information and to make sure it is treated securely.

Access and Correction

You may have the right to correct or review your personal data, or object to or restrict the processing of your data. To do so, please contact us by email at legal@toro.com. If you have concerns about the way in which Toro has handled your information, we encourage you to raise this directly with us. Please note that European residents have the right to complain to your Data Protection Authority.

EU Specifications

Machine Power, Mass, and Vibration Data

Model	Nominal Power (kW)	Machine Mass [‡] (kg)	Hand/Arm Vibration (m/s ²)*			Whole Body Vibration (m/s ²)*	
			Left Hand	Right Hand	Uncertainty	Level	Uncertainty
			Level	Level			
30487TC/TE with 30240, 30481, and 30679	949	24.5	1.0	3.4	1.7	0.23	0.12
30487TC/TE with 30240, 30456, and 30658	915	24.5	1.0	3.4	1.7	0.23	0.12
30487TC/TE with 30240, 30353, 30685, and 30304	889	24.5	1.0	3.4	1.7	0.23	0.12
30487TC/TE with 30240, 30353, 30685, and 30346	889	24.5	1.0	3.4	1.7	0.23	0.12
30487TC/TE with 30240, 30353, 30685, and 30466	889	24.5	1.0	3.4	1.7	0.23	0.12
30487TC/TE with 30240, 30457, 30683, and 30306	866	24.5	1.0	3.4	1.7	0.23	0.12
30487TC/TE with 30240, 30457, 30683, and 30463	866	24.5	1.0	3.4	1.7	0.23	0.12
30487TC/TE with 30240 and 31101 and 30687	1076	24.5	1.0	3.4	1.7	0.23	0.12
30495 or 30495TC with 30240, 30481, and 30679	949	18.5	1.0	3.4	1.7	0.23	0.12
30495 or 30495TC with 30240, 30456, and 30658	915	18.5	1.0	3.4	1.7	0.23	0.12
30495 or 30495TC with 30240, 30353, 30685, and 30304	889	18.5	1.0	3.4	1.7	0.23	0.12
30495 or 30495TC with 30240, 30353, 30685, and 30346	889	18.5	1.0	3.4	1.7	0.23	0.12
30495 or 30495TC with 30240, 30353, 30685, and 30466	889	18.5	1.0	3.4	1.7	0.23	0.12
30495 or 30495TC with 30240, 30457, 30683, and 30306	866	18.5	1.0	3.4	1.7	0.23	0.12
30495 or 30495TC with 30240, 30457, 30683, and 30463	866	18.5	1.0	3.4	1.7	0.23	0.12

[‡] With empty tanks in the normal operating configuration

* Determined in accordance with EN ISO 5395:2013.

Machine Sound Data

Model	Sound Pressure (dBA) ¹	
	Level	Uncertainty
30487TC/TE with 30353	88	1
30487TC/TE with 30481	90	1
30487TC/TE with 30356	90	1
30487TC/TE with 30457	87	1
30495 or 30495TC with 30353	87	1
30495 or 30495TC with 30481	90	1
30495 or 30495TC with 30356	90	1
30495 or 30495TC with 30457	89	1
30487TC/TE with 30240 and 31101 and 30687	91	1

¹ A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 5395:2013.



BG: За да получите копие от този документ на вашия език, отидете на www.toro.com/en-us/pages/manuals/default.aspx.

CS: Kopii tohoto dokumentu ve svém jazyce získáte na adrese www.toro.com/en-us/pages/manuals/default.aspx.

DA: For at indhente en kopi af dette dokument på dit sprog skal du besøge www.toro.com/en-us/pages/manuals/default.aspx.

DE: Ein Exemplar dieses Dokuments in Ihrer Sprache erhalten Sie unter www.toro.com/en-us/pages/manuals/default.aspx.

EL: Για να λάβετε αντίγραφο του εγγράφου αυτού στη γλώσσα σας μεταβείτε στη διεύθυνση www.toro.com/en-us/pages/manuals/default.aspx.

EN: To obtain a copy of this document in your language, go to www.toro.com/en-us/pages/manuals/default.aspx.

ES: Puede obtener una copia de este documento en su idioma en www.toro.com/en-us/pages/manuals/default.aspx.

ET: Dokumendist enda keeles koopia saamiseks külastage veebilehte www.toro.com/en-us/pages/manuals/default.aspx.

FI: Tästä asiakirjasta saa omakielisen version osoitteesta www.toro.com/en-us/pages/manuals/default.aspx.

FR: Pour vous procurer une copie de ce document dans votre langue, rendez-vous sur www.toro.com/en-us/pages/manuals/default.aspx.

HU: Ha szüksége van a dokumentum egy példányára a saját nyelvén, letöltheti azt a www.toro.com/en-us/pages/manuals/default.aspx oldalról.

IT: La copia del presente documento nella vostra lingua è disponibile su www.toro.com/en-us/pages/manuals/default.aspx.

LT: Norėdami gauti šio dokumento kopiją savo kalba, apsilankykite www.toro.com/en-us/pages/manuals/default.aspx.

LV: Lai iegūtu šī dokumenta kopiju savā valodā, lūdzu, dodieties uz www.toro.com/en-us/pages/manuals/default.aspx.

NL: Voor een exemplaar van dit document in uw eigen taal, gaat u naar: www.toro.com/en-us/pages/manuals/default.aspx.

NO: For å få en kopi av dette dokumentet på ditt språk, gå til www.toro.com/en-us/pages/manuals/default.aspx.

PL: Aby uzyskać kopię dokumentu dla swojego języka, należy przejść na stronę www.toro.com/en-us/pages/manuals/default.aspx.

PT: Para obter uma cópia deste documento no seu idioma, vá a www.toro.com/en-us/pages/manuals/default.aspx.

RO: Pentru a obține un exemplar al prezentului document în limba dumneavoastră, vizitați www.toro.com/en-us/pages/manuals/default.aspx.

SK: Ak chcete získať kópiu tohto dokumentu vo svojom jazyku, prejdite na adresu www.toro.com/en-us/pages/manuals/default.aspx.

SL: Za izvod tega dokumenta v vašem jeziku obiščite spletno stran www.toro.com/en-us/pages/manuals/default.aspx.

SV: Gå in på www.toro.com/en-us/pages/manuals/default.aspx om du vill ha ett exemplar av det här dokumentet på ditt språk.