

# EU Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
31657	400000000 and Up	LT3340 Heavy-Duty Triple Turf Mower Traction Unit	LT3340 4WD TRIPLE REEL MOWER
31654	400000000 and Up	LT2240 Compact Triple 4-Wheel Drive Turf Mower	LT2240 COMPACT TRIPLE REEL MOWER

Conform(s) to the following directives:

Model(s)	Directives
31657	2000/14/EC (Noise), 2006/42/EC (Machinery Directive), 2014/30/EU (EMC), 2014/53/EU (RE D)
31654	2000/14/EC (Noise), 2006/42/EC (Machinery Directive), 2014/30/EU (EMC)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN/ISO 5395-1:2013+A1:2018

EN ISO 5395-3:2013+A1:2017+A2:2018

EN/ISO 14982:2009

ISO 11094:1993

EN/ISO 3744:2010

Further, the following accessories/attachments conform to the directives indicated below when installed according to instructions on the models listed above:

Model	Description	Directive
Accessories/Attachments for All Models		
02805	Mk 3 200mm, 4-blade Cutting Unit	2006/42/EC, 2000/14/EC
02806	Mk 3 200mm, 6-blade Cutting Unit	2006/42/EC, 2000/14/EC
02807	Mk 3 200mm, 8-blade Cutting Unit	2006/42/EC, 2000/14/EC
02808	Mk 3 200mm, 10-blade Cutting Unit	2006/42/EC, 2000/14/EC
02815	Mk 3 250mm, 4-blade Cutting Unit	2006/42/EC, 2000/14/EC
02816	Mk 3 250mm, 6-blade Cutting Unit	2006/42/EC, 2000/14/EC
02817	Mk 3 250mm, 8-blade Cutting Unit	2006/42/EC, 2000/14/EC
02850	Road Light Kit	2006/42/EC, 2000/14/EC
02856	Beacon Kit	2014/30/EU
02875	Deluxe Seat, PVC	2006/42/EC, 2014/30/EU
Accessories/Attachments for Model 31657		
02955	Cab	2014/30/EU
02876	Deluxe Seat, Fabric	2006/42/EC, 2014/30/EU
02951	SLOPE INDICATOR KIT	2014/30/EU
115-4754	MYTURF HOUR METER	2014/53/EU
Accessories/Attachments for Model 31654		
02945	Slope Indicator Kit	2006/42/EC, 2014/30/EU



Data for Noise Directive (2000/14/EC):

Model	Classification	Cutting Width (cm)	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
31657 with cutting unit model 02805, 02806, 02807, 02808, 02815, 02816, or 02817	Lawn Mower	212	101	102	3000
31654 with cutting unit model 02805, 02806, 02807, 02808, 02815, 02816 or 02817	Lawn Mower	212	102	103	3000

Determined in accordance with ISO 11094:1991.

Conformity Assessment: Annex VI

Notified Body: TUV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

This declaration has been issued under the sole responsibility of the manufacturer.

The object of the declaration is in conformity with relevant Union harmonization legislation.

Certified:



Michael Benedict  
Engineering Director  
8111 Lyndale Ave. South  
Bloomington, MN 55420, USA  
September 30, 2022

Authorized Representative:

Marcel Dutrieux  
Manager European Product Integrity  
Toro Europe NV  
Nijverheidsstraat 5  
2260 Oevel  
Belgium

# EEA/UK Privacy Notice

## **Toro's Use of Your Personal Information**

The Toro Company ("Toro") respects your privacy. When you purchase our products, we may collect certain personal information about you, either directly from you or through your local Toro company or dealer. Toro uses this information to fulfil contractual obligations - such as to register your warranty, process your warranty claim or to contact you in the event of a product recall - and for legitimate business purposes - such as to gauge customer satisfaction, improve our products or provide you with product information which may be of interest. Toro may share your information with our subsidiaries, affiliates, dealers or other business partners in connection these activities. We may also disclose personal information when required by law or in connection with the sale, purchase or merger of a business. We will never sell your personal information to any other company for marketing purposes.

## **Retention of your Personal Information**

Toro will keep your personal information as long as it is relevant for the above purposes and in accordance with legal requirements. For more information about applicable retention periods please contact [legal@toro.com](mailto:legal@toro.com).

## **Toro's Commitment to Security**

Your personal information may be processed in the US or another country which may have less strict data protection laws than your country of residence. Whenever we transfer your information outside of your country of residence, we will take legally required steps to ensure that appropriate safeguards are in place to protect your information and to make sure it is treated securely.

## **Access and Correction**

You may have the right to correct or review your personal data, or object to or restrict the processing of your data. To do so, please contact us by email at [legal@toro.com](mailto:legal@toro.com). If you have concerns about the way in which Toro has handled your information, we encourage you to raise this directly with us. Please note that European residents have the right to complain to your Data Protection Authority.

# EU Specifications

## Machine Power, Mass, and Vibration Data for Model 31657

Model	Nominal Power (kW)	Machine Mass‡ (kg)	Hand/Arm Vibration (m/s <sup>2</sup> )*			Whole Body Vibration (m/s <sup>2</sup> )*	
			Left Hand	Right Hand	Uncertainty	Level	Uncertainty
			Level	Level			
31657	27.5	1484	1.4	1.4	0.7	0.3	0.1
31657 with 02955	27.5	1684	1.4	1.4	0.7	0.2	0.1

‡(31657) with full fluids and 6 blade 250mm diameter cutterheads

\* Determined in accordance with EN/ISO 5395-1:2013+A1:2018

## Machine Power, Mass, and Vibration Data for Model 31654

Model	Nominal Power (kW)	Machine Mass‡ (kg)	Hand/Arm Vibration (m/s <sup>2</sup> )*			Whole Body Vibration (m/s <sup>2</sup> )*	
			Left Hand	Right Hand	Uncertainty	Level	Uncertainty
			Level	Level			
31654	18.5	1240	1.4	1.4	0.7	0.9	0.5

‡(31654) With fluids and 200mm 6 blade cutterheads

\* Determined in accordance with EN/ISO 5395-1:2013+A1:2018 and measured with the 200mm 6-blade cutting heads fitted.

## Machine Sound Data

Model	Sound Pressure (dBA) <sup>1</sup>	
	Level	Uncertainty
31657	85	2
31654	88	2
31657 with 02955	85	2

<sup>1</sup> A-weighted levels, as measured at the operator position, determined in accordance with EN/ISO 5395-1:2013+A1:2018.

**BG:** За да получите копие от този документ на вашия език, отидете на [www.toro.com/en/parts](http://www.toro.com/en/parts).

**CS:** Kopii tohoto dokumentu ve svém jazyce získáte na adrese [www.toro.com/en/parts](http://www.toro.com/en/parts).

**DA:** For at indhente en kopi af dette dokument på dit sprog skal du besøge [www.toro.com/en/parts](http://www.toro.com/en/parts).

**DE:** Ein Exemplar dieses Dokuments in Ihrer Sprache erhalten Sie unter [www.toro.com/en/parts](http://www.toro.com/en/parts).

**EL:** Για να λάβετε αντίγραφο του εγγράφου αυτού στη γλώσσα σας μεταβείτε στη διεύθυνση [www.toro.com/en/parts](http://www.toro.com/en/parts).

**EN:** To obtain a copy of this document in your language, go to [www.toro.com/en/parts](http://www.toro.com/en/parts).

**ES:** Puede obtener una copia de este documento en su idioma en [www.toro.com/en/parts](http://www.toro.com/en/parts).

**ET:** Dokumendist enda keeles koopia saamiseks külastage veebilehte [www.toro.com/en/parts](http://www.toro.com/en/parts).

**FI:** Tästä asiakirjasta saa omakielisen version osoitteesta [www.toro.com/en/parts](http://www.toro.com/en/parts).

**FR:** Pour vous procurer une copie de ce document dans votre langue, rendez-vous sur [www.toro.com/en/parts](http://www.toro.com/en/parts).

**HR:** Za primjerak Izjave o sukladnosti na Vašem jeziku idite na [www.toro.com/en/parts](http://www.toro.com/en/parts).

**HU:** Ha szükséges van a dokumentum egy példányára a saját nyelven, letöltheti azt a [www.toro.com/en/parts](http://www.toro.com/en/parts) oldalról.

**IT:** La copia del presente documento nella vostra lingua è disponibile su [www.toro.com/en/parts](http://www.toro.com/en/parts).

**LT:** Norėdami gauti šio dokumento kopiją savo kalba, apsilankykite [www.toro.com/en/parts](http://www.toro.com/en/parts).

**LV:** Lai iegūtu šī dokumenta kopiju savā valodā, lūdzu, dodieties uz [www.toro.com/en/parts](http://www.toro.com/en/parts).

**NL:** Voor een exemplaar van dit document in uw eigen taal, gaat u naar: [www.toro.com/en/parts](http://www.toro.com/en/parts).

**NO:** For å få en kopi av dette dokumentet på ditt språk, gå til [www.toro.com/en/parts](http://www.toro.com/en/parts).

**PL:** Aby uzyskać kopię dokumentu dla swojego języka, należy przejść na stronę [www.toro.com/en/parts](http://www.toro.com/en/parts).

**PT:** Para obter uma cópia deste documento no seu idioma, vá a [www.toro.com/en/parts](http://www.toro.com/en/parts).

**RO:** Pentru a obține un exemplar al prezentului document în limba dumneavoastră, vizitați [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SK:** Ak chcete získat kópiu tohto dokumentu vo svojom jazyku, prejdite na adresu [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SL:** Za izvod tega dokumenta v vašem jeziku obiščite spletno stran [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SR:** Da biste dobili primerak ovog dokumenta na svom jeziku, posetite [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SV:** Gå in på [www.toro.com/en/parts](http://www.toro.com/en/parts) om du vill ha ett exemplar av det här dokumentet på ditt språk.

# UK Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
31657	400000000 and Up	LT3340 Heavy-Duty Triple Turf Mower Traction Unit	LT3340 4WD TRIPLE REEL MOWER
31654	400000000 and Up	LT2240 Compact Triple 4-Wheel Drive Turf Mower	LT2240 COMPACT TRIPLE REEL MOWER

Conform(s) to the following UK national laws:

Model(s)	Directives
31657	S.I. 2001 No. 1701 (Noise), S.I. 2008 No. 1597 (Machinery Safety), S.I. 2016 No. 1091 (EMC), S.I. 2017 No. 1206 (Radio Equipment)
31654	S.I. 2001 No. 1701 (Noise), S.I. 2008 No. 1597 (Machinery Safety), S.I. 2016 No. 1091 (EMC)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN/ISO 5395-1:2013+A1:2018

EN ISO 5395-3:2013+A1:2017+A2:2018

EN/ISO 14982:2009

ISO 11094:1993

EN/ISO 3744:2010

Further, the following accessories/attachments conform to the UK national laws indicated below when installed according to instructions on the models listed above:

Model	Description	Directive
Accessories/Attachments for All Models		
02805	Mk 3 200mm, 4-blade Cutting Unit	S.I. 2008 No. 1597, S.I. 2001 No. 1701
02806	Mk 3 200mm, 6-blade Cutting Unit	S.I. 2008 No. 1597, S.I. 2001 No. 1701
02807	Mk 3 200mm, 8-blade Cutting Unit	S.I. 2008 No. 1597, S.I. 2001 No. 1701
02808	Mk 3 200mm, 10-blade Cutting Unit	S.I. 2008 No. 1597, S.I. 2001 No. 1701
02815	Mk 3 250mm, 4-blade Cutting Unit	S.I. 2008 No. 1597, S.I. 2001 No. 1701
02816	Mk 3 250mm, 6-blade Cutting Unit	S.I. 2008 No. 1597, S.I. 2001 No. 1701
02817	Mk 3 250mm, 8-blade Cutting Unit	S.I. 2008 No. 1597, S.I. 2001 No. 1701
02850	Road Light Kit	S.I. 2008 No. 1597, S.I. 2001 No. 1701
02856	Beacon Kit	S.I. 2016 No. 1091

Model	Description	Directive
02875	Deluxe Seat, PVC	S.I. 2008 No. 1597, S.I. 2016 No. 1091
Accessories/Attachments for Model 31657		
02955	Cab	S.I. 2016 No. 1091
02876	Deluxe Seat, Fabric	S.I. 2008 No. 1597, S.I. 2016 No. 1091
02951	SLOPE INDICATOR KIT	S.I. 2016 No. 1091
115-4754	MYTURF HOUR METER	S.I. 2017 No. 1206
Accessories/Attachments for Model 31654		
02945	Slope Indicator Kit	S.I. 2008 No. 1597, S.I. 2016 No. 1091

Data for Noise Regulations (S.I. 2001 No. 1701):

Model	Classification	Cutting Width (cm)	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
31657 with cutting unit model 02805, 02806, 02807, 02808, 02815, 02816, or 02817	Lawn Mower	212	101	102	3000
31654 with cutting unit model 02805, 02806, 02807, 02808, 02815, 02816 or 02817	Lawn Mower	212	102	103	3000

Determined in accordance with ISO 11094:1991.

Conformity Assessment: Schedule 9

Notified Body: TUV Rheinland LGA Products GmbH, Tillystraße 2, 90431 Nürnberg

This declaration has been issued under the sole responsibility of the manufacturer.  
The object of the declaration is in conformity with relevant UK legislation.

Authorized Representative:

Marcel Dutrieux  
Manager European Product Integrity  
Toro U.K. Limited  
Spellbrook Lane West  
Bishop's Stortford  
CM23 4BU  
United Kingdom



Michael Benedict  
Engineering Director  
8111 Lyndale Ave. South  
Bloomington, MN 55420, USA  
September 30, 2022

# UK Specifications

## Machine Power, Mass, and Vibration Data for Model 31657

Model	Nominal Power (kW)	Machine Mass‡ (kg)	Hand/Arm Vibration (m/s <sup>2</sup> )*			Whole Body Vibration (m/s <sup>2</sup> )*	
			Left Hand	Right Hand	Uncertainty	Level	Uncertainty
			Level	Level			
31657	27.5	1484	1.4	1.4	0.7	0.3	0.1
31657 with 02955	27.5	1684	1.4	1.4	0.7	0.2	0.1

‡(31657) with full fluids and 6 blade 250mm diameter cutterheads

\* Determined in accordance with EN/ISO 5395-1:2013+A1:2018

## Machine Power, Mass, and Vibration Data for Model 31654

Model	Nominal Power (kW)	Machine Mass‡ (kg)	Hand/Arm Vibration (m/s <sup>2</sup> )*			Whole Body Vibration (m/s <sup>2</sup> )*	
			Left Hand	Right Hand	Uncertainty	Level	Uncertainty
			Level	Level			
31654	18.5	1240	1.4	1.4	0.7	0.9	0.5

‡(31654) With fluids and 200mm 6 blade cutterheads

\* Determined in accordance with EN/ISO 5395-1:2013+A1:2018 and measured with the 200mm 6-blade cutting heads fitted.

## Machine Sound Data

Model	Sound Pressure (dBA) <sup>1</sup>	
	Level	Uncertainty
31657	85	2
31654	88	2
31657 with 02955	85	2

<sup>1</sup> A-weighted levels, as measured at the operator position, determined in accordance with EN/ISO 5395-1:2013+A1:2018.