

EU Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
03820	406000000 and Up	Reelmaster 3555 Traction Unit	REELMASTER 3555
03821	406000000 and Up	Reelmaster 3575 Traction Unit	REELMASTER 3575
03910	406000000 and Up	Reelmaster 3550 Traction Unit	REELMASTER 3550-D

Conform(s) to the following directives:

2000/14/EC (Noise), 2006/42/EC (Machinery Directive), 2014/30/EU (EMC)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN ISO 5395-1:2013 + A1:2018, EN ISO 5395-3:2013 + A1:2017 + A2:2018

EN 55012: 2007 + A1: 2009

EN 61000-6-2:2005 + AC:2005

Further, the following accessories/attachments conform to the directives indicated below when installed according to instructions on the models listed above:

Model	Description	Directive
Accessories/Attachments for Model 03820		
03487	22in HD 8-blade DPA Cutting Unit	2006/42/EC
03488	22in HD 11-blade DPA Cutting Unit	2006/42/EC
03489	22in 11-Blade Edge Series Radial Reel DPA Cutting Unit	2006/42/EC
Accessories/Attachments for Model 03821		
03638	7in 8-Blade DPA CU (R)	2006/42/EC
03639	7in 8-Blade DPA CU (FSR)	2006/42/EC
03641	7in 11-Blade DPA CU (FSR)	2006/42/EC
03643	11-Blade Edge Series Radial Reel DPA Cutting Unit	2006/42/EC
Accessories/Attachments for Model 03910		
03416	22in Compact Basket	2006/42/EC
03484	End Weight Kit	2006/42/EC
03485	18in HD 8-blade DPA Cutting Unit	2006/42/EC
03486	18in HD 11-blade DPA Cutting Unit	2006/42/EC
03487	22in HD 8-blade DPA Cutting Unit	2006/42/EC
03488	22in HD 11-blade DPA Cutting Unit	2006/42/EC
03489	22in 11-Blade Edge Series Radial Reel DPA Cutting Unit	2006/42/EC
03657	18in Rear Roller Brush with Groomer Kit	2006/42/EC
03763	18in Universal Groomer Kit	2006/42/EC
03764	18in Cartridge Kit	2006/42/EC
03766	18in Groomer Brush	2006/42/EC
03916	18in Rear Roller Brush Kit	2006/42/EC
03918	18in and 22in Rear Roller Brush Kit	2006/42/EC

03923	18in Flex Basket Kit	2006/42/EC
03924	18in Ext Front Basket	2006/42/EC
Accessories/Attachments for Models 03820 and 03821		
03247	Operator Cooling Fan	2006/42/EC, 2014/30/EU
03248	Switch Panel	2006/42/EC, 2014/30/EU
30669	Universal Sunshade, White	2006/42/EC
30671	Universal Sunshade, Red	2006/42/EC
138-2700	Work Light Kit	2006/42/EC, 2014/30/EU
138-2699	Beacon Kit	2006/42/EC, 2014/30/EU



Data for Noise Directive (2000/14/EC):

Model	Classification	Cutting Width (cm)	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
03820	Lawn Mower	254	101	102	3320
03821	Lawn Mower	254	101	102	3320
03910	Lawn Mower	203	102	103	3050

Determined in accordance with ISO 11094:1991.

Conformity Assessment: Annex VIII

Notified Body: SNCH 11, Route De Luxembourg, L-5230 Sandweiler

This declaration has been issued under the sole responsibility of the manufacturer.

The object of the declaration is in conformity with relevant Union harmonization legislation.

Certified:



Tom Langworthy
Engineering Director
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
September 26, 2022

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro Europe NV
Nijverheidsstraat 5
2260 Oevel
Belgium

EEA/UK Privacy Notice

Toro's Use of Your Personal Information

The Toro Company ("Toro") respects your privacy. When you purchase our products, we may collect certain personal information about you, either directly from you or through your local Toro company or dealer. Toro uses this information to fulfil contractual obligations - such as to register your warranty, process your warranty claim or to contact you in the event of a product recall - and for legitimate business purposes - such as to gauge customer satisfaction, improve our products or provide you with product information which may be of interest. Toro may share your information with our subsidiaries, affiliates, dealers or other business partners in connection these activities. We may also disclose personal information when required by law or in connection with the sale, purchase or merger of a business. We will never sell your personal information to any other company for marketing purposes.

Retention of your Personal Information

Toro will keep your personal information as long as it is relevant for the above purposes and in accordance with legal requirements. For more information about applicable retention periods please contact legal@toro.com.

Toro's Commitment to Security

Your personal information may be processed in the US or another country which may have less strict data protection laws than your country of residence. Whenever we transfer your information outside of your country of residence, we will take legally required steps to ensure that appropriate safeguards are in place to protect your information and to make sure it is treated securely.

Access and Correction

You may have the right to correct or review your personal data, or object to or restrict the processing of your data. To do so, please contact us by email at legal@toro.com. If you have concerns about the way in which Toro has handled your information, we encourage you to raise this directly with us. Please note that European residents have the right to complain to your Data Protection Authority.

EU Specifications

Machine Power, Mass, and Vibration Data

Model	Nominal Power (kW)	Machine Mass [‡] (kg)	Hand/Arm Vibration (m/s ²)* Level			Whole Body Vibration (m/s ²)*	
			Left Hand	Right Hand	Uncertainty	Level	Uncertainty
03820	18.5	1034	0.3	0.2	0.2	0.42	0.21
03821	18.5	1157	0.3	0.2	0.2	0.42	0.21
03910	18.5	900	0.3	0.3	0.2	0.20	0.10

‡ With empty tanks in the normal operating configuration

* Determined in accordance with ISO 5395-1:2013, Annex G

Machine Sound Data

Model	Sound Pressure (dBA)*	
	Level	Uncertainty
03820	84	1
03821	84	1
03910	84	1

* A-weighted levels determined in accordance with ISO 5395-1:2013, Annex F.



BG: За да получите копие от този документ на вашия език, отидете на www.toro.com/en/parts.

CS: Kopii tohoto dokumentu ve svém jazyce získáte na adrese www.toro.com/en/parts.

DA: For at indhente en kopi af dette dokument på dit sprog skal du besøge www.toro.com/en/parts.

DE: Ein Exemplar dieses Dokuments in Ihrer Sprache erhalten Sie unter www.toro.com/en/parts.

EL: Για να λάβετε αντίγραφο του εγγράφου αυτού στη γλώσσα σας μεταβείτε στη διεύθυνση www.toro.com/en/parts.

EN: To obtain a copy of this document in your language, go to www.toro.com/en/parts.

ES: Puede obtener una copia de este documento en su idioma en www.toro.com/en/parts.

ET: Dokumendist enda keeles koopia saamiseks külastage veebilehte www.toro.com/en/parts.

FI: Tästä asiakirjasta saa omakielisen version osoitteesta www.toro.com/en/parts.

FR: Pour vous procurer une copie de ce document dans votre langue, rendez-vous sur www.toro.com/en/parts.

HR: Za primjerak Izjave o sukladnosti na Vašem jeziku idite na www.toro.com/en/parts.

HU: Ha szükséges van a dokumentum egy példányára a saját nyelven, letöltheti azt a www.toro.com/en/parts oldalról.

IT: La copia del presente documento nella vostra lingua è disponibile su www.toro.com/en/parts.

LT: Norėdami gauti šio dokumento kopiją savo kalba, apsilankykite www.toro.com/en/parts.

LV: Lai iegūtu šī dokumenta kopiju savā valodā, lūdzu, dodieties uz www.toro.com/en/parts.

NL: Voor een exemplaar van dit document in uw eigen taal, gaat u naar: www.toro.com/en/parts.

NO: For å få en kopi av dette dokumentet på ditt språk, gå til www.toro.com/en/parts.

PL: Aby uzyskać kopię dokumentu dla swojego języka, należy przejść na stronę www.toro.com/en/parts.

PT: Para obter uma cópia deste documento no seu idioma, vá a www.toro.com/en/parts.

RO: Pentru a obține un exemplar al prezentului document în limba dumneavoastră, vizitați www.toro.com/en/parts.

SK: Ak chcete získat kópiu tohto dokumentu vo svojom jazyku, prejdite na adresu www.toro.com/en/parts.

SL: Za izvod tega dokumenta v vašem jeziku obiščite spletno stran www.toro.com/en/parts.

SR: Da biste dobili primerak ovog dokumenta na svom jeziku, posetite www.toro.com/en/parts.

SV: Gå in på www.toro.com/en/parts om du vill ha ett exemplar av det här dokumentet på ditt språk.

UK Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
03820	406000000 and Up	Reelmaster 3555 Traction Unit	REELMASTER 3555
03821	406000000 and Up	Reelmaster 3575 Traction Unit	REELMASTER 3575
03910	406000000 and Up	Reelmaster 3550 Traction Unit	REELMASTER 3550-D

Conform(s) to the following UK national laws:

S.I. 2001 No. 1701 (Noise), S.I. 2008 No. 1597 (Machinery Safety), S.I. 2016 No. 1091 (EMC)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN ISO 5395-1:2013 + A1:2018, EN ISO 5395-3:2013 + A1:2017 + A2:2018

EN 55012: 2007 + A1: 2009

EN 61000-6-2:2005 + AC:2005

Further, the following accessories/attachments conform to the UK national laws indicated below when installed according to instructions on the models listed above:

Model	Description	Regulation
Accessories/Attachments for Model 03820		
03487	22in HD 8-blade DPA Cutting Unit	2008 No. 1597
03488	22in HD 11-blade DPA Cutting Unit	2008 No. 1597
03489	22in 11-Blade Edge Series Radial Reel DPA Cutting Unit	2008 No. 1597
Accessories/Attachments for Model 03821		
03638	7in 8-Blade DPA CU (R)	2008 No. 1597
03639	7in 8-Blade DPA CU (FSR)	2008 No. 1597
03641	7in 11-Blade DPA CU (FSR)	2008 No. 1597
03643	11-Blade Edge Series Radial Reel DPA Cutting Unit	2008 No. 1597
Accessories/Attachments for Model 03910		
03416	22in Compact Basket	2008 No. 1597
03484	End Weight Kit	2008 No. 1597
03485	18in HD 8-blade DPA Cutting Unit	2008 No. 1597
03486	18in HD 11-blade DPA Cutting Unit	2008 No. 1597
03487	22in HD 8-blade DPA Cutting Unit	2008 No. 1597
03488	22in HD 11-blade DPA Cutting Unit	2008 No. 1597
03489	22in 11-Blade Edge Series Radial Reel DPA Cutting Unit	2008 No. 1597
03657	18in Rear Roller Brush with Groomer Kit	2008 No. 1597
03763	18in Universal Groomer Kit	2008 No. 1597
03764	18in Cartridge Kit	2008 No. 1597
03766	18in Groomer Brush	2008 No. 1597
03916	18in Rear Roller Brush Kit	2008 No. 1597
03918	18in and 22in Rear Roller Brush Kit	2008 No. 1597

03923	18in Flex Basket Kit	2008 No. 1597
03924	18in Ext Front Basket	2008 No. 1597
Accessories/Attachments for Models 03820 and 03821		
03247	Operator Cooling Fan	2008 No. 1597, S.I. 2016 No. 1091
03248	Switch Panel	2008 No. 1597, S.I. 2016 No. 1091
30669	Universal Sunshade, White	2008 No. 1597
30671	Universal Sunshade, Red	2008 No. 1597
138-2700	Work Light Kit	2008 No. 1597 S.I. 2016 No. 1091
138-2699	Beacon Kit	2008 No. 1597, S.I. 2016 No. 1091

Data for Noise Regulations (S.I. 2001 No. 1701):

Model	Classification	Cutting Width (cm)	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
03820	Lawn Mower	254	101	102	3320
03821	Lawn Mower	254	101	102	3320
03910	Lawn Mower	203	102	103	3050

Determined in accordance with ISO 11094:1991.

Conformity Assessment: Schedule 10

Notified Body: SNCH 11, Route De Luxembourg, L-5230 Sandweiler

This declaration has been issued under the sole responsibility of the manufacturer.
The object of the declaration is in conformity with relevant UK legislation.

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro U.K. Limited
Spellbrook Lane West
Bishop's Stortford
CM23 4BU
United Kingdom



Tom Langworthy
Engineering Director
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
September 26, 2022

UK Specifications

Machine Power, Mass, and Vibration Data

Model	Nominal Power (kW)	Machine Mass [‡] (kg)	Hand/Arm Vibration (m/s ²)* Level			Whole Body Vibration (m/s ²)*	
			Left Hand	Right Hand	Uncertainty	Level	Uncertainty
03820	18.5	1034	0.3	0.2	0.2	0.42	0.21
03821	18.5	1157	0.3	0.2	0.2	0.42	0.21
03910	18.5	900	0.3	0.3	0.2	0.20	0.10

‡ With empty tanks in the normal operating configuration

* Determined in accordance with ISO 5395-1:2013, Annex G

Machine Sound Data

Model	Sound Pressure (dBA)*	
	Level	Uncertainty
03820	84	1
03821	84	1
03910	84	1

* A-weighted levels determined in accordance with ISO 5395-1:2013, Annex F.