

EU Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
08706	407000000 and Up	Sand Pro 2040Z Traction Unit	SAND PRO 2040Z
08743	400000000 and Up	Sand Pro 3040 Traction Unit	SAND PRO 3040
08745	400000000 and Up	Sand Pro 5040 Traction Unit	SAND PRO 5040

Conform(s) to the following directives:

2000/14/EC (Noise), 2006/42/EC (Machinery Directive), 2014/30/EU (EMC)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN 55012: 2007 + A1:2009

EN61000-6-2: 2005+AC:2005

Further, the following accessories/attachments conform to the directives indicated below when installed according to instructions on the models listed above:

Model	Description	Directive
Accessories/Attachments for Model 08706		
08716	Flex Groomer	2006/42/EC
08717	Nail Drag	2006/42/EC
08718	Drag Kit	2006/42/EC
08719	Broom Finishing Kit	2006/42/EC
08720	Speed Limiter Kit	2006/42/EC
08721	Light Kit	2006/42/EC
99-4664	Filter Minder	2006/42/EC
104-6540	Screen – Spark Arrestor	2006/42/EC
115-4510	Bimini Shade Kit	2006/42/EC
125-6462	Turf Trac Tire Kit	2006/42/EC
127-0359	Bag Kit	2006/42/EC
130-7876	Rake Holder Kit	2006/42/EC,
130-7877	Transport Speed Kit	2006/42/EC
144-7065	Seat Isolation Kit	2006/42/EC
Accessories/Attachments for Model 08743 and Model 08745		
08714	Manual Blade	2006/42/EC
08838	Midmount Toolbar System	2006/42/EC
08732	Weeder Tine Toolbar	2006/42/EC
08733	Spring Tine Toolbar	2006/42/EC
08734	Scarifier Tine Toolbar	2006/42/EC

Model	Description	Directive
08735	Carbide Tine Toolbar	2006/42/EC
08736	Profile Blade Toolbar	2006/42/EC
08751	Tooth Rake	2006/42/EC
08752	Spring Rake	2006/42/EC
08753	Rear Broom	2006/42/EC
08754	Finish Grader	2006/42/EC
08755	Spiker	2006/42/EC
08756	Drag Mat Carrier System	2006/42/EC
08757	Steel Drag Mat	2006/42/EC
08758	Coco Drag Mat	2006/42/EC
08761	QAS Nail Drag	2006/42/EC
08781	Rear Remote Hydraulics	2006/42/EC
08765	QAS Bunker Pump	2006/42/EC
08766	Vibratory Edger	2006/42/EC
08816	Tooth Rake Broom	2006/42/EC
108-8496	Leveling Blade	2006/42/EC
115-5646	60in Manual Blade	2006/42/EC
110-1375	Hitch/Tow Bar	2006/42/EC
Accessories/Attachments for Model 08745		
08712	Front Lift Frame Assembly	2006/42/EC
08713	Front Hydraulic Blade	2006/42/EC

Data for Noise Directive (2000/14/EC):

Model	Classification	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
08706	Scarifier	98	99	2850
08743	Scarifier	94	97	3400
08745	Scarifier	95	98	3400

Determined in accordance with ISO 11094:1991.

Conformity Assessment: Annex VIII

Notified Body: SNCH 11, Route De Luxembourg, L-5230 Sandweiler

This declaration has been issued under the sole responsibility of the manufacturer.

The object of the declaration is in conformity with relevant Union harmonization legislation.



Certified:



Tom Langworthy
Engineering Director
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
October 4, 2022

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro Europe NV
Nijverheidsstraat 5
2260 Oevel
Belgium

EEA/UK Privacy Notice

Toro's Use of Your Personal Information

The Toro Company ("Toro") respects your privacy. When you purchase our products, we may collect certain personal information about you, either directly from you or through your local Toro company or dealer. Toro uses this information to fulfil contractual obligations - such as to register your warranty, process your warranty claim or to contact you in the event of a product recall - and for legitimate business purposes - such as to gauge customer satisfaction, improve our products or provide you with product information which may be of interest. Toro may share your information with our subsidiaries, affiliates, dealers or other business partners in connection these activities. We may also disclose personal information when required by law or in connection with the sale, purchase or merger of a business. We will never sell your personal information to any other company for marketing purposes.

Retention of your Personal Information

Toro will keep your personal information as long as it is relevant for the above purposes and in accordance with legal requirements. For more information about applicable retention periods please contact legal@toro.com.

Toro's Commitment to Security

Your personal information may be processed in the US or another country which may have less strict data protection laws than your country of residence. Whenever we transfer your information outside of your country of residence, we will take legally required steps to ensure that appropriate safeguards are in place to protect your information and to make sure it is treated securely.

Access and Correction

You may have the right to correct or review your personal data, or object to or restrict the processing of your data. To do so, please contact us by email at legal@toro.com. If you have concerns about the way in which Toro has handled your information, we encourage you to raise this directly with us. Please note that European residents have the right to complain to your Data Protection Authority.

EU Specifications

Machine Power, Mass, and Vibration Data

Model	Nominal Power (kW)	Machine Mass‡ (kg)	Hand/Arm Vibration (m/s ²)*			Whole Body Vibration (m/s ²)*	
			Left Hand	Right Hand	Uncertainty	Level	Uncertainty
			Level	Level			
08706	10.1	399	0.9	1.1	0.6	0.39	0.2
08743	11.9	452	0.4	0.5	0.02	0.30	0.06
08745	13.4	461	0.7	0.6	0.03	0.39	0.06

‡ With empty tanks in the normal operating configuration

* Determined in accordance with EN 1032:2003+A1:2008 and EN 1032

Machine Sound Data

Model	Sound Pressure (dBA) ¹	
	Level	Uncertainty
08706	88	1
08743	81	3
08745	84	3

¹ A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 11201:2010.



BG: За да получите копие от този документ на вашия език, отидете на www.toro.com/en/parts.

CS: Kopii tohoto dokumentu ve svém jazyce získáte na adrese www.toro.com/en/parts.

DA: For at indhente en kopi af dette dokument på dit sprog skal du besøge www.toro.com/en/parts.

DE: Ein Exemplar dieses Dokuments in Ihrer Sprache erhalten Sie unter www.toro.com/en/parts.

EL: Για να λάβετε αντίγραφο του εγγράφου αυτού στη γλώσσα σας μεταβείτε στη διεύθυνση www.toro.com/en/parts.

EN: To obtain a copy of this document in your language, go to www.toro.com/en/parts.

ES: Puede obtener una copia de este documento en su idioma en www.toro.com/en/parts.

ET: Dokumendist enda keeles koopia saamiseks külastage veebilehte www.toro.com/en/parts.

FI: Tästä asiakirjasta saa omakielisen version osoitteesta www.toro.com/en/parts.

FR: Pour vous procurer une copie de ce document dans votre langue, rendez-vous sur www.toro.com/en/parts.

HR: Za primjerak Izjave o sukladnosti na Vašem jeziku idite na www.toro.com/en/parts.

HU: Ha szüksége van a dokumentum egy példányára a saját nyelven, letöltheti azt a www.toro.com/en/parts oldalról.

IT: La copia del presente documento nella vostra lingua è disponibile su www.toro.com/en/parts.

LT: Norėdami gauti šio dokumento kopiją savo kalba, apsilankykite www.toro.com/en/parts.

LV: Lai iegūtu šī dokumenta kopiju savā valodā, lūdzu, dodieties uz www.toro.com/en/parts.

NL: Voor een exemplaar van dit document in uw eigen taal, gaat u naar: www.toro.com/en/parts.

NO: For å få en kopi av dette dokumentet på ditt språk, gå til www.toro.com/en/parts.

PL: Aby uzyskać kopię dokumentu dla swojego języka, należy przejść na stronę www.toro.com/en/parts.

PT: Para obter uma cópia deste documento no seu idioma, vá a www.toro.com/en/parts.

RO: Pentru a obține un exemplar al prezentului document în limba dumneavoastră, vizitați www.toro.com/en/parts.

SK: Ak chcete získat kópiu tohto dokumentu vo svojom jazyku, prejdite na adresu www.toro.com/en/parts.

SL: Za izvod tega dokumenta v vašem jeziku obiščite spletno stran www.toro.com/en/parts.

SR: Da biste dobili primerak ovog dokumenta na svom jeziku, posetite www.toro.com/en/parts.

SV: Gå in på www.toro.com/en/parts om du vill ha ett exemplar av det här dokumentet på ditt språk.

UK Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
08706	407000000 and Up	Sand Pro 2040Z Traction Unit	SAND PRO 2040Z
08743	400000000 and Up	Sand Pro 3040 Traction Unit	SAND PRO 3040
08745	400000000 and Up	Sand Pro 5040 Traction Unit	SAND PRO 5040

Conform(s) to the following UK national laws:

S.I. 2001 No. 1701 (Noise), S.I. 2008 No. 1597 (Machinery Safety), S.I. 2016 No. 1091 (EMC)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN 55012: 2007 + A1:2009

EN61000-6-2: 2005+AC:2005

Further, the following accessories/attachments conform to the UK national laws indicated below when installed according to instructions on the models listed above:

Model	Description	Directive
Accessories/Attachments for Model 08706		
08716	Flex Groomer	S.I. 2008 No. 1597
08717	Nail Drag	S.I. 2008 No. 1597
08718	Drag Kit	S.I. 2008 No. 1597
08719	Broom Finishing Kit	S.I. 2008 No. 1597
08720	Speed Limiter Kit	S.I. 2008 No. 1597
08721	Light Kit	S.I. 2008 No. 1597
99-4664	Filter Minder	S.I. 2008 No. 1597
104-6540	Screen – Spark Arrestor	S.I. 2008 No. 1597
115-4510	Bimini Shade Kit	S.I. 2008 No. 1597
125-6462	Turf Trac Tire Kit	S.I. 2008 No. 1597
127-0359	Bag Kit	S.I. 2008 No. 1597
130-7876	Rake Holder Kit	S.I. 2008 No. 1597
130-7877	Transport Speed Kit	S.I. 2008 No. 1597
144-7065	Seat Isolation Kit	S.I. 2008 No. 1597
Accessories/Attachments for Model 08743 and Model 08745		
08714	Manual Blade	S.I. 2008 No. 1597
08838	Midmount Toolbar System	S.I. 2008 No. 1597
08732	Weeder Tine Toolbar	S.I. 2008 No. 1597
08733	Spring Tine Toolbar	S.I. 2008 No. 1597
08734	Scarifier Tine Toolbar	S.I. 2008 No. 1597

Model	Description	Directive
08735	Carbide Tine Toolbar	S.I. 2008 No. 1597
08736	Profile Blade Toolbar	S.I. 2008 No. 1597
08751	Tooth Rake	S.I. 2008 No. 1597
08752	Spring Rake	S.I. 2008 No. 1597
08753	Rear Broom	S.I. 2008 No. 1597
08754	Finish Grader	S.I. 2008 No. 1597
08755	Spiker	S.I. 2008 No. 1597
08756	Drag Mat Carrier System	S.I. 2008 No. 1597
08757	Steel Drag Mat	S.I. 2008 No. 1597
08758	Coco Drag Mat	S.I. 2008 No. 1597
08761	QAS Nail Drag	S.I. 2008 No. 1597
08781	Rear Remote Hydraulics	S.I. 2008 No. 1597
08765	QAS Bunker Pump	S.I. 2008 No. 1597
08766	Vibratory Edger	S.I. 2008 No. 1597
08816	Tooth Rake Broom	S.I. 2008 No. 1597
108-8496	Leveling Blade	S.I. 2008 No. 1597
115-5646	60in Manual Blade	S.I. 2008 No. 1597
110-1375	Hitch/Tow Bar	S.I. 2008 No. 1597
Accessories/Attachments for Model 08745		
08712	Front Lift Frame Assembly	S.I. 2008 No. 1597
08713	Front Hydraulic Blade	S.I. 2008 No. 1597

Data for Noise Regulations (S.I. 2001 No. 1701):

Model	Classification	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
08706	Scarifier	98	99	2850
08743	Scarifier	94	97	3400
08745	Scarifier	95	98	3400

Determined in accordance with ISO 11094:1991.

Conformity Assessment: Schedule 10

Notified Body: SNCH 11, Route De Luxembourg, L-5230 Sandweiler

This declaration has been issued under the sole responsibility of the manufacturer.
The object of the declaration is in conformity with relevant UK legislation.

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro U.K. Limited
Spellbrook Lane West
Bishop's Stortford
CM23 4BU
United Kingdom



Tom Langworthy
Engineering Director
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
October 4, 2022

UK Specifications

Machine Power, Mass, and Vibration Data

Model	Nominal Power (kW)	Machine Mass‡ (kg)	Hand/Arm Vibration (m/s ²)*			Whole Body Vibration (m/s ²)*	
			Left Hand	Right Hand	Uncertainty	Level	Uncertainty
			Level	Level		Level	Uncertainty
08706	10.1	399	0.9	1.1	0.6	0.39	0.2
08743	11.9	452	0.4	0.5	0.02	0.30	0.06
08745	13.4	461	0.7	0.6	0.03	0.39	0.06

‡ With empty tanks in the normal operating configuration

* Determined in accordance with EN 1032:2003+A1:2008 and EN 1032

Machine Sound Data

Model	Sound Pressure (dBA) ¹	
	Level	Uncertainty
08706	88	1
08743	81	3
08745	84	3

¹ A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 11201:2010.