

EU Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
23508 with 135-6822	400000000 and Up	20in Turf Seeder	20IN WALK BEHIND OVERSEEDER, KOH, 50 ST
23512	400000000 and Up	20in Turf Seeder	20 INCH TURF SEEDER CE

Conform(s) to the following directives:

2006/42/EC (Machinery Directive), 2014/30/EU (EMC)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN ISO 5395-2:2013/A2:2017

EN 13684:2018

EN ISO 14982:2009

Further, the following accessories/attachments conform to the directives indicated below when installed according to instructions on the models listed above:

Model	Description	Directive
135-6822	CE Kit	2006/42/EC, 2014/30/EU

Data for Noise Directive (2000/14/EC, 2005/88/EC):

Model	Classification	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
23508	Scarifier	100	103	3750
23512	Scarifier	100	103	3750

Determined in accordance with EN ISO 3744: 1995.

Conformity Assessment: Annex VIII

Notified Body: SNCH 11, Route De Luxembourg, L-5230 Sandweiler

This declaration has been issued under the sole responsibility of the manufacturer.

The object of the declaration is in conformity with relevant Union harmonization legislation.

Certified:



Chad Moe
Sr. Engineering Manager
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
November 4, 2022

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro Europe NV
Nijverheidsstraat 5
2260 Oevel
Belgium



EU Specifications

Machine Power, Mass, and Vibration Data

Model	Nominal Power (kW)	Machine Mass‡ (kg)	Hand/Arm Vibration (m/s ²)*		
			Left Hand Level	Right Hand Level	Uncertainty
23508	7.1	118	1.8	1.8	0.3
23512	7.1	118	1.8	1.8	0.3

‡ With empty tanks in the normal operating configuration

* Determined in accordance with EN 13684: 2018.

Machine Sound Data

Model	Sound Pressure (dBA) ¹	
	Level	Uncertainty
23508	88	2.5
23512	88	2.5

¹ A-weighted levels, as measured at the operator position, determined in accordance with EN 13684: 2018.



BG: За да получите копие от този документ на вашия език, отидете на www.toro.com/en/parts.

CS: Kopii tohoto dokumentu ve svém jazyce získáte na adrese www.toro.com/en/parts.

DA: For at indhente en kopi af dette dokument på dit sprog skal du besøge www.toro.com/en/parts.

DE: Ein Exemplar dieses Dokuments in Ihrer Sprache erhalten Sie unter www.toro.com/en/parts.

EL: Για να λάβετε αντίγραφο του εγγράφου αυτού στη γλώσσα σας μεταβείτε στη διεύθυνση www.toro.com/en/parts.

EN: To obtain a copy of this document in your language, go to www.toro.com/en/parts.

ES: Puede obtener una copia de este documento en su idioma en www.toro.com/en/parts.

ET: Dokumendist enda keeles koopia saamiseks külastage veebilehte www.toro.com/en/parts.

FI: Tästä asiakirjasta saa omakielisen version osoitteesta www.toro.com/en/parts.

FR: Pour vous procurer une copie de ce document dans votre langue, rendez-vous sur www.toro.com/en/parts.

HR: Za primjerak Izjave o sukladnosti na Vašem jeziku idite na www.toro.com/en/parts.

HU: Ha szüksége van a dokumentum egy példányára a saját nyelven, letöltheti azt a www.toro.com/en/parts oldalról.

IT: La copia del presente documento nella vostra lingua è disponibile su www.toro.com/en/parts.

LT: Norėdami gauti šio dokumento kopiją savo kalba, apsilankykite www.toro.com/en/parts.

LV: Lai iegūtu šī dokumenta kopiju savā valodā, lūdzu, dodieties uz www.toro.com/en/parts.

NL: Voor een exemplaar van dit document in uw eigen taal, gaat u naar: www.toro.com/en/parts.

NO: For å få en kopi av dette dokumentet på ditt språk, gå til www.toro.com/en/parts.

PL: Aby uzyskać kopię dokumentu dla swojego języka, należy przejść na stronę www.toro.com/en/parts.

PT: Para obter uma cópia deste documento no seu idioma, vá a www.toro.com/en/parts.

RO: Pentru a obține un exemplar al prezentului document în limba dumneavoastră, vizitați www.toro.com/en/parts.

SK: Ak chcete získat kópiu tohto dokumentu vo svojom jazyku, prejdite na adresu www.toro.com/en/parts.

SL: Za izvod tega dokumenta v vašem jeziku obiščite spletno stran www.toro.com/en/parts.

SR: Da biste dobili primerak ovog dokumenta na svom jeziku, posetite www.toro.com/en/parts.

SV: Gå in på www.toro.com/en/parts om du vill ha ett exemplar av det här dokumentet på ditt språk.

UK Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

Model No.	Serial No.	Product Description	Invoice Description
23508 with 135-6822	400000000 and Up	20in Turf Seeder	20IN WALK BEHIND OVERSEEDER, KOH, 50 ST
23512	400000000 and Up	20in Turf Seeder	20 INCH TURF SEEDER CE

Conform(s) to the following UK national laws:

S.I. 2008 No. 1597 (Machinery Safety), S.I. 2016 No. 1091 (EMC)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN ISO 5395-2:2013/A2:2017

EN 13684:2018

EN ISO 14982:2009

Further, the following accessories/attachments conform to the UK national laws indicated below when installed according to instructions on the models listed above:

Model	Description	Regulation
135-6822	CE Kit	2008 No. 1597, 2016 No. 1091

Data for Noise Regulations (S.I. 2001 No. 1701):

Model	Classification	Measured Sound Power (dBA)	Guaranteed Sound Power (dBA)	Engine Speed (rpm)
23508	Scarifier	100	103	3750
23512	Scarifier	100	103	3750

Determined in accordance with EN ISO 3744: 1995.

Conformity Assessment: Schedule 10

Notified Body: SNCH 11, Route De Luxembourg, L-5230 Sandweiler

This declaration has been issued under the sole responsibility of the manufacturer.
The object of the declaration is in conformity with relevant UK legislation.

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro U.K. Limited
Spellbrook Lane West
Bishop's Stortford
CM23 4BU
United Kingdom



Chad Moe
Sr. Engineering Manager
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
November 4, 2022

UK Specifications

Machine Power, Mass, and Vibration Data

Model	Nominal Power (kW)	Machine Mass‡ (kg)	Hand/Arm Vibration (m/s ²)*		
			Left Hand Level	Right Hand Level	Uncertainty
23508	7.1	118	1.8	1.8	0.3
23512	7.1	118	1.8	1.8	0.3

‡ With empty tanks in the normal operating configuration

* Determined in accordance with EN 13684: 2018.

Machine Sound Data

Model	Sound Pressure (dBA) ¹	
	Level	Uncertainty
23508	88	2.5
23512	88	2.5

¹ A-weighted levels, as measured at the operator position, determined in accordance with EN 13684: 2018.



