

# EU Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

| Model No. | Serial No.       | Product Description                      | Invoice Description       |
|-----------|------------------|--|---------------------------|
| 04580     | 400000000 and Up | Greensmaster eTriFlex 3360 Traction Unit | GR TRIFLEX - GAS/ELECTRIC |
| 04590     | 400000000 and Up | Greensmaster eTriFlex 3370 Traction Unit | ETRIFLEX GR3370           |

Conform(s) to the following directives:

| Model(s) | Directives  |
|----------|---|
| 04580    | 2000/14/EC (Noise), 2006/42/EC (Machinery Directive), 2014/30/EU (EMC)                                      |
| 04590    | 2000/14/EC (Noise), 2006/42/EC (Machinery Directive), 2014/30/EU (EMC), 2014/35/EU (LVD), 2014/53/EU (RE D) |

Each model listed has been evaluated with the following standards and/or other normative documents:

EN ISO 5395-1:2013 + A1:2018

EN ISO 5395-3:2013 + A1:2017 + A2:2018

EN ISO 14982:2009

EN 55012:2007 + A1:2009

Further, the following accessories/attachments conform to the directives indicated below when installed according to instructions on the models listed above:

| Model    | Description                    | Directive              |
|----------|--------------------------------|------------------------|
| 04500    | LIGHT KIT                      | 2006/42/EC, 2014/30/EU |
| 04651    | DPA 8 BLADE ES CUTTING UNIT-TR | 2006/42/EC             |
| 04653    | DPA 11 BLADE ES CUTTING UNIT-T | 2006/42/EC             |
| 04655    | DPA 14 BLADE ES CUTTING UNIT-T | 2006/42/EC             |
| 04720    | THATCHING REEL KIT             | 2006/42/EC             |
| 04722    | GREENS TRI-ROLLER KIT          | 2006/42/EC             |
| 04723    | GREENS SPIKER KIT              | 2006/42/EC             |
| 115-4754 | LCD ASM [WHM]                  | 2006/42/EC, 2014/30/EU |
| 119-7129 | WEIGHT KIT                     | 2006/42/EC             |
| 137-7945 | KIT-REAR LIGHT                 | 2006/42/EC, 2014/30/EU |
| 137-7947 | KIT-LIGHT FRONT MOUNT          | 2006/42/EC, 2014/30/EU |



Data for Noise Directive (2000/14/EC, 2005/88/EC):

| Model | Classification | Cutting Width (cm) | Measured Sound Power (dBA) | Guaranteed Sound Power (dBA) | Engine Speed (rpm) |
|-------|----------------|--------------------|----------------------------|------------------------------|--------------------|
| 04580 | Lawn Mower     | 151                | 90                         | 91                           | 2400               |
| 04590 | Lawn Mower     | 150                | 85                         | 87                           | N/A                |

Determined in accordance with ISO 11094:1991.

Conformity Assessment: Annex VIII

Notified Body: SNCH 11, Route De Luxembourg, L-5230 Sandweiler

This declaration has been issued under the sole responsibility of the manufacturer.

The object of the declaration is in conformity with relevant Union harmonization legislation.

Certified:



Tom Langworthy  
Engineering Director  
8111 Lyndale Ave. South  
Bloomington, MN 55420, USA  
October 5, 2022

Authorized Representative:

Marcel Dutrieux  
Manager European Product Integrity  
Toro Europe NV  
Nijverheidsstraat 5  
2260 Oevel  
Belgium

# EEA/UK Privacy Notice

## **Toro's Use of Your Personal Information**

The Toro Company ("Toro") respects your privacy. When you purchase our products, we may collect certain personal information about you, either directly from you or through your local Toro company or dealer. Toro uses this information to fulfil contractual obligations - such as to register your warranty, process your warranty claim or to contact you in the event of a product recall - and for legitimate business purposes - such as to gauge customer satisfaction, improve our products or provide you with product information which may be of interest. Toro may share your information with our subsidiaries, affiliates, dealers or other business partners in connection these activities. We may also disclose personal information when required by law or in connection with the sale, purchase or merger of a business. We will never sell your personal information to any other company for marketing purposes.

## **Retention of your Personal Information**

Toro will keep your personal information as long as it is relevant for the above purposes and in accordance with legal requirements. For more information about applicable retention periods please contact [legal@toro.com](mailto:legal@toro.com).

## **Toro's Commitment to Security**

Your personal information may be processed in the US or another country which may have less strict data protection laws than your country of residence. Whenever we transfer your information outside of your country of residence, we will take legally required steps to ensure that appropriate safeguards are in place to protect your information and to make sure it is treated securely.

## **Access and Correction**

You may have the right to correct or review your personal data, or object to or restrict the processing of your data. To do so, please contact us by email at [legal@toro.com](mailto:legal@toro.com). If you have concerns about the way in which Toro has handled your information, we encourage you to raise this directly with us. Please note that European residents have the right to complain to your Data Protection Authority.

# EU Specifications

## Machine Power, Mass, and Vibration Data for Model 04580

| Model | Nominal Power (kW) | Machine Mass‡ (kg) | Hand/Arm Vibration (m/s <sup>2</sup> )* |                  |             | Whole Body Vibration (m/s <sup>2</sup> )* |             |
|-------|--------------------|--------------------|---|------------------|-------------|---|-------------|
|       |                    |                    | Left Hand Level                         | Right Hand Level | Uncertainty | Level                                     | Uncertainty |
| 04580 | 10.8               | 737                | 0.3                                     | 0.2              | 0.02        | 0.27                                      | 0.11        |

‡ With empty tanks in the normal operating configuration

\* Determined in accordance with EN ISO 5395-1:2013+A1:2018

## Machine Power, Mass, and Vibration Data for Model 04590

| Model | Nominal Power (V) | Machine Mass‡ (kg) | Hand/Arm Vibration (m/s <sup>2</sup> )* |                  |             | Whole Body Vibration (m/s <sup>2</sup> )* |             |
|-------|-------------------|--------------------|---|------------------|-------------|---|-------------|
|       |                   |                    | Left Hand Level                         | Right Hand Level | Uncertainty | Level                                     | Uncertainty |
| 04590 | 48                | 602                | 0.6                                     | 0.4              | 0.18        | 0.39                                      | 0.1         |

‡ With empty tanks in the normal operating configuration

\* Determined in accordance with EN ISO 5395-1:2013+A1:2018

## Machine Sound Data

| Model | Sound Pressure (dBA) <sup>1</sup> |             |
|-------|-----------------------------------|-------------|
|       | Level                             | Uncertainty |
| 04580 | 73                                | 1           |
| 04590 | 68                                | 2           |

<sup>1</sup> A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 5395-1:2013.

**BG:** За да получите копие от този документ на вашия език, отидете на [www.toro.com/en/parts](http://www.toro.com/en/parts).

**CS:** Kopii tohoto dokumentu ve svém jazyce získáte na adrese [www.toro.com/en/parts](http://www.toro.com/en/parts).

**DA:** For at indhente en kopi af dette dokument på dit sprog skal du besøge [www.toro.com/en/parts](http://www.toro.com/en/parts).

**DE:** Ein Exemplar dieses Dokuments in Ihrer Sprache erhalten Sie unter [www.toro.com/en/parts](http://www.toro.com/en/parts).

**EL:** Για να λάβετε αντίγραφο του εγγράφου αυτού στη γλώσσα σας μεταβείτε στη διεύθυνση [www.toro.com/en/parts](http://www.toro.com/en/parts).

**EN:** To obtain a copy of this document in your language, go to [www.toro.com/en/parts](http://www.toro.com/en/parts).

**ES:** Puede obtener una copia de este documento en su idioma en [www.toro.com/en/parts](http://www.toro.com/en/parts).

**ET:** Dokumendist enda keeles koopia saamiseks külastage veebilehte [www.toro.com/en/parts](http://www.toro.com/en/parts).

**FI:** Tästä asiakirjasta saa omakielisen version osoitteesta [www.toro.com/en/parts](http://www.toro.com/en/parts).

**FR:** Pour vous procurer une copie de ce document dans votre langue, rendez-vous sur [www.toro.com/en/parts](http://www.toro.com/en/parts).

**HR:** Za primjerak Izjave o sukladnosti na Vašem jeziku idite na [www.toro.com/en/parts](http://www.toro.com/en/parts).

**HU:** Ha szükséges van a dokumentum egy példányára a saját nyelven, letöltheti azt a [www.toro.com/en/parts](http://www.toro.com/en/parts) oldalról.

**IT:** La copia del presente documento nella vostra lingua è disponibile su [www.toro.com/en/parts](http://www.toro.com/en/parts).

**LT:** Norėdami gauti šio dokumento kopiją savo kalba, apsilankykite [www.toro.com/en/parts](http://www.toro.com/en/parts).

**LV:** Lai iegūtu šī dokumenta kopiju savā valodā, lūdzu, dodieties uz [www.toro.com/en/parts](http://www.toro.com/en/parts).

**NL:** Voor een exemplaar van dit document in uw eigen taal, gaat u naar: [www.toro.com/en/parts](http://www.toro.com/en/parts).

**NO:** For å få en kopi av dette dokumentet på ditt språk, gå til [www.toro.com/en/parts](http://www.toro.com/en/parts).

**PL:** Aby uzyskać kopię dokumentu dla swojego języka, należy przejść na stronę [www.toro.com/en/parts](http://www.toro.com/en/parts).

**PT:** Para obter uma cópia deste documento no seu idioma, vá a [www.toro.com/en/parts](http://www.toro.com/en/parts).

**RO:** Pentru a obține un exemplar al prezentului document în limba dumneavoastră, vizitați [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SK:** Ak chcete získat kópiu tohto dokumentu vo svojom jazyku, prejdite na adresu [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SL:** Za izvod tega dokumenta v vašem jeziku obiščite spletno stran [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SR:** Da biste dobili primerak ovog dokumenta na svom jeziku, posetite [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SV:** Gå in på [www.toro.com/en/parts](http://www.toro.com/en/parts) om du vill ha ett exemplar av det här dokumentet på ditt språk.

# UK Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

| Model No. | Serial No.       | Product Description                      | Invoice Description       |
|-----------|------------------|--|---------------------------|
| 04580     | 400000000 and Up | Greensmaster eTriFlex 3360 Traction Unit | GR TRIFLEX - GAS/ELECTRIC |
| 04590     | 400000000 and Up | Greensmaster eTriFlex 3370 Traction Unit | ETRIFLEX GR3370           |

Conform(s) to the following UK national laws:

| Model(s) | Directives   |
|----------|--|
| 04580    | S.I. 2001 No. 1701 (Noise), S.I. 2008 No. 1597 (Machinery Safety), S.I. 2016 No. 1091 (EMC)  |
| 04590    | S.I. 2001 No. 1701 (Noise), S.I. 2008 No. 1597 (Machinery Safety), S.I. 2016 No. 1091 (EMC), 2S.I. 2016 No. 1101 (LVD), S.I. 2017 No. 1206 (Radio Equipment) |

Each model listed has been evaluated with the following standards and/or other normative documents:

EN ISO 5395-1:2013 + A1:2018

EN ISO 5395-3:2013 + A1:2017 + A2:2018

EN ISO 14982:2009

EN 55012:2007 + A1:2009

Further, the following accessories/attachments conform to the UK national laws indicated below when installed according to instructions on the models listed above:

| Model    | Description                    | Regulation                             |
|----------|--------------------------------|--|
| 04500    | LIGHT KIT                      | S.I. 2008 No. 1597, S.I. 2016 No. 1091 |
| 04651    | DPA 8 BLADE ES CUTTING UNIT-TR | S.I. 2008 No. 1597                     |
| 04653    | DPA 11 BLADE ES CUTTING UNIT-T | S.I. 2008 No. 1597                     |
| 04655    | DPA 14 BLADE ES CUTTING UNIT-T | S.I. 2008 No. 1597                     |
| 04720    | THATCHING REEL KIT             | S.I. 2008 No. 1597                     |
| 04722    | GREENS TRI-ROLLER KIT          | S.I. 2008 No. 1597                     |
| 04723    | GREENS SPIKER KIT              | S.I. 2008 No. 1597                     |
| 115-4754 | LCD ASM [WHM]                  | S.I. 2008 No. 1597, S.I. 2016 No. 1091 |
| 119-7129 | WEIGHT KIT                     | S.I. 2008 No. 1597                     |
| 137-7945 | KIT-REAR LIGHT                 | S.I. 2008 No. 1597, S.I. 2016 No. 1091 |
| 137-7947 | KIT-LIGHT FRONT MOUNT          | S.I. 2008 No. 1597, S.I. 2016 No. 1091 |

Data for Noise Regulations (S.I. 2001 No. 1701):

| Model | Classification | Cutting Width (cm) | Measured Sound Power (dBA) | Guaranteed Sound Power (dBA) | Engine Speed (rpm) |
|-------|----------------|--------------------|----------------------------|------------------------------|--------------------|
| 04580 | Lawn Mower     | 151                | 90                         | 91                           | 2400               |
| 04590 | Lawn Mower     | 150                | 85                         | 87                           | N/A                |

Determined in accordance with ISO 11094:1991.

Conformity Assessment: Schedule 10

Notified Body: SNCH 11, Route De Luxembourg, L-5230 Sandweiler

This declaration has been issued under the sole responsibility of the manufacturer.  
The object of the declaration is in conformity with relevant UK legislation.



Tom Langworthy  
Engineering Director  
8111 Lyndale Ave. South  
Bloomington, MN 55420, USA  
October 5, 2022

Authorized Representative:

Marcel Dutrieux  
Manager European Product Integrity  
Toro U.K. Limited  
Spellbrook Lane West  
Bishop's Stortford  
CM23 4BU  
United Kingdom

# UK Specifications

## Machine Power, Mass, and Vibration Data for Model 04580

| Model | Nominal Power (kW) | Machine Mass‡ (kg) | Hand/Arm Vibration (m/s <sup>2</sup> )* |                  |             | Whole Body Vibration (m/s <sup>2</sup> )* |             |
|-------|--------------------|--------------------|---|------------------|-------------|---|-------------|
|       |                    |                    | Left Hand Level                         | Right Hand Level | Uncertainty | Level                                     | Uncertainty |
| 04580 | 10.8               | 737                | 0.3                                     | 0.2              | 0.02        | 0.27                                      | 0.11        |

‡ With empty tanks in the normal operating configuration

\* Determined in accordance with EN ISO 5395-1:2013+A1:2018

## Machine Power, Mass, and Vibration Data for Model 04590

| Model | Nominal Power (V) | Machine Mass‡ (kg) | Hand/Arm Vibration (m/s <sup>2</sup> )* |                  |             | Whole Body Vibration (m/s <sup>2</sup> )* |             |
|-------|-------------------|--------------------|---|------------------|-------------|---|-------------|
|       |                   |                    | Left Hand Level                         | Right Hand Level | Uncertainty | Level                                     | Uncertainty |
| 04590 | 48                | 602                | 0.6                                     | 0.4              | 0.18        | 0.39                                      | 0.1         |

‡ With empty tanks in the normal operating configuration

\* Determined in accordance with EN ISO 5395-1:2013+A1:2018

## Machine Sound Data

| Model | Sound Pressure (dBA) <sup>1</sup> |             |
|-------|-----------------------------------|-------------|
|       | Level                             | Uncertainty |
| 04580 | 73                                | 1           |
| 04590 | 68                                | 2           |

<sup>1</sup> A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 5395-1:2013.