

EU Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

| Model No. | Serial No. | Product Description | Invoice Description |
|-----------|------------------|---|--|
| 21852 | 400000000 and Up | Flex-Force Power System 60V MAX 52cm Recycler Lawn Mower | 52CM S WPM 60V RWD CE |
| 21852T | 400000000 and Up | Flex-Force Power System 60V MAX 52cm Recycler Lawn Mower | 52CM S WPM 60V VS BARE TOOL CE |
| 21863 | 400000000 and Up | Flex Force Power System 60V MAX 55cm Recycler Lawn Mower | 55CM 60V REC RWD PP HW SMARTSTOW |
| 21863T | 400000000 and Up | Flex Force Power System 60V MAX 55cm Recycler Lawn Mower | 55CM 60V REC RWD PP HW SMARTSTOW BT |
| 21864 | 400000000 and Up | Flex Force Power System 60V MAX 55cm Recycler Lawn Mower | 55CM WPM 60V RWD ADS SMARTSTOW CE |
| 21864T | 400000000 and Up | Flex Force Power System 60V MAX 55cm Recycler Lawn Mower | 55CM 60V RWD ADS SMARTSTOW CE BARE TOOL |

Conform(s) to the following directives:

2000/14/EC and 2005/88/EC (Noise), 2006/42/EC (Machinery Directive), 2014/30/EU (EMC), and 2011/65/EU (ROHS)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN IEC 55014-1:2021

EN IEC 55014-2:2021

EN 60335-1:2012 + C11:2014 + A11:2014 + A12:2017 + A13:2017 + A14:2019 + A1:2019 + A2:2019 + A15:2021

EN 60335-2-77:2010

Further, the following accessories/attachments conform to the directives indicated below when installed according to instructions on the models listed above:

| Model | Description | Directive |
|-------|----------------------------|------------|
| 81820 | 2.0Ah 60V MAX Battery Pack | 2006/42/EC |
| 81825 | 2.5Ah 60V MAX Battery Pack | 2006/42/EC |
| 81850 | 4.0Ah 60V MAX Battery Pack | 2006/42/EC |

| Model | Description | Directive |
|-------|----------------------------|------------|
| 81860 | 6.0Ah 60V MAX Battery Pack | 2006/42/EC |
| 81875 | 7.5Ah 60V MAX Battery Pack | 2006/42/EC |

Data for Noise Directive (2000/14/EC, 2005/88/EC):

| Model | Classification | Cutting Width (cm) | Measured Sound Power (dBA) | Guaranteed Sound Power (dBA) |
|--------|----------------|--------------------|----------------------------|------------------------------|
| 21852 | Lawn Mower | 52 | 87 | 88 |
| 21852T | Lawn Mower | 52 | 87 | 88 |
| 21863 | Lawn Mower | 55 | 90 | 91 |
| 21863T | Lawn Mower | 55 | 90 | 91 |
| 21864 | Lawn Mower | 55 | 90 | 92 |
| 21864T | Lawn Mower | 55 | 90 | 92 |

Determined in accordance with ISO 11094:1991 and ISO 3744:1995.

Conformity Assessment: Annex VI of directive 2000/14/EC and 2005/88/EC.

Notified Body: TÜV SÜD Industrie Service GmbH, Notifizierte Stelle 0036 nach 2000/14/EG, Notified Body 0036 according to 2000/14/EC, Westendstraße 199, 80686 München / Munich Deutschland / Germany

This declaration has been issued under the sole responsibility of the manufacturer.

The object of the declaration is in conformity with relevant Union harmonization legislation.



Certified:

A handwritten signature in black ink that reads "John Heckel". The signature is written in a cursive style with a large, sweeping initial "J".

John Heckel
Engineering Director
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
May 1, 2024

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro Europe NV
Nijverheidsstraat 5
2260 Oevel
Belgium

EU Specifications

Machine Power, Mass, and Vibration Data

| Model | Battery Power (kW) | Machine Mass [‡] (kg) | Hand/Arm Vibration (m/s ²)* Level | | |
|--------|--------------------|--------------------------------|---|------------|-------------|
| | | | Left Hand | Right Hand | Uncertainty |
| 21852 | 1.5 | 28.5 | 1.2 | 1.2 | 0.02 |
| 21852T | 1.5 | 25.8 | 1.2 | 1.2 | 0.02 |
| 21863 | 2 | 35 | 0.3 | 0.3 | 0.1 |
| 21863T | 2 | 35 | 0.3 | 0.3 | 0.1 |
| 21864 | 2 | 39 | 0.8 | 0.7 | 0.1 |
| 21864T | 2 | 36 | 0.8 | 0.7 | 0.1 |

[‡] With empty tanks in the normal operating configuration

* Determined in accordance with EN ISO 5395-1:2013 + A1:2018.

Machine Sound Data

| Model | Sound Pressure (dBA) ¹ | |
|--------|-----------------------------------|-------------|
| | Level | Uncertainty |
| 21852 | 79 | 2 |
| 21852T | 79 | 2 |
| 21863 | 84 | 1 |
| 21863T | 84 | 1 |
| 21864 | 84 | 2 |
| 21864T | 84 | 2 |

¹ A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 5395-1: 2013.



BG: За да получите копие от този документ на вашия език, отидете на www.toro.com/en/parts.

CS: Kopii tohoto dokumentu ve svém jazyce získáte na adrese www.toro.com/en/parts.

DA: For at indhente en kopi af dette dokument på dit sprog skal du besøge www.toro.com/en/parts.

DE: Ein Exemplar dieses Dokuments in Ihrer Sprache erhalten Sie unter www.toro.com/en/parts.

EL: Για να λάβετε αντίγραφο του εγγράφου αυτού στη γλώσσα σας μεταβείτε στη διεύθυνση www.toro.com/en/parts.

EN: To obtain a copy of this document in your language, go to www.toro.com/en/parts.

ES: Puede obtener una copia de este documento en su idioma en www.toro.com/en/parts.

ET: Dokumendist enda keeles koopia saamiseks külastage veebilehte www.toro.com/en/parts.

FI: Tästä asiakirjasta saa omakielisen version osoitteesta www.toro.com/en/parts.

FR: Pour vous procurer une copie de ce document dans votre langue, rendez-vous sur www.toro.com/en/parts.

HR: Za primjerak Izjave o sukladnosti na Vašem jeziku idite na www.toro.com/en/parts.

HU: Ha szükséges van a dokumentum egy példányára a saját nyelven, letöltheti azt a www.toro.com/en/parts oldalról.

IT: La copia del presente documento nella vostra lingua è disponibile su www.toro.com/en/parts.

LT: Norėdami gauti šio dokumento kopiją savo kalba, apsilankykite www.toro.com/en/parts.

LV: Lai iegūtu šī dokumenta kopiju savā valodā, lūdzu, dodieties uz www.toro.com/en/parts.

NL: Voor een exemplaar van dit document in uw eigen taal, gaat u naar: www.toro.com/en/parts.

NO: For å få en kopi av dette dokumentet på ditt språk, gå til www.toro.com/en/parts.

PL: Aby uzyskać kopię dokumentu dla swojego języka, należy przejść na stronę www.toro.com/en/parts.

PT: Para obter uma cópia deste documento no seu idioma, vá a www.toro.com/en/parts.

RO: Pentru a obține un exemplar al prezentului document în limba dumneavoastră, vizitați www.toro.com/en/parts.

SK: Ak chcete získat kópiu tohto dokumentu vo svojom jazyku, prejdite na adresu www.toro.com/en/parts.

SL: Za izvod tega dokumenta v vašem jeziku obiščite spletno stran www.toro.com/en/parts.

SR: Da biste dobili primerak ovog dokumenta na svom jeziku, posetite www.toro.com/en/parts.

SV: Gå in på www.toro.com/en/parts om du vill ha ett exemplar av det här dokumentet på ditt språk.

UK Declaration of Conformity

The Toro Company ®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

| Model No. | Serial No. | Product Description | Invoice Description |
|-----------|------------------|---|--|
| 21852 | 400000000 and Up | Flex-Force Power System 60V MAX 52cm Recycler Lawn Mower | 52CM S WPM 60V RWD CE |
| 21852T | 400000000 and Up | Flex-Force Power System 60V MAX 52cm Recycler Lawn Mower | 52CM S WPM 60V VS BARE TOOL CE |
| 21863 | 400000000 and Up | Flex Force Power System 60V MAX 55cm Recycler Lawn Mower | 55CM 60V REC RWD PP HW SMARTSTOW |
| 21863T | 400000000 and Up | Flex Force Power System 60V MAX 55cm Recycler Lawn Mower | 55CM 60V REC RWD PP HW SMARTSTOW BT |
| 21864 | 400000000 and Up | Flex Force Power System 60V MAX 55cm Recycler Lawn Mower | 55CM WPM 60V RWD ADS SMARTSTOW CE |
| 21864T | 400000000 and Up | Flex Force Power System 60V MAX 55cm Recycler Lawn Mower | 55CM 60V RWD ADS SMARTSTOW CE BARE TOOL |

Conform(s) to the following UK national laws:

S.I. 2001 No. 1701 (Noise), S.I. 2008 No. 1597 (Machinery Safety), S.I. 2016 No. 1091 (EMC), and S.I. 2012 No. 3032 (ROHS)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN IEC 55014-1:2021

EN IEC 55014-2:2021

EN 60335-1:2012 + C11:2014 + A11:2014 + A12:2017 + A13:2017 + A14:2019 + A1:2019 + A2:2019 + A15:2021

EN 60335-2-77:2010

Further, the following accessories/attachments conform to the UK national laws indicated below when installed according to instructions on the models listed above:

| Model | Description | Regulation |
|-------|----------------------------|---------------|
| 81820 | 2.0Ah 60V MAX Battery Pack | 2008 No. 1597 |
| 81825 | 2.5Ah 60V MAX Battery Pack | 2008 No. 1597 |
| 81850 | 4.0Ah 60V MAX Battery Pack | 2008 No. 1597 |

| Model | Description | Regulation |
|-------|----------------------------|---------------|
| 81860 | 6.0Ah 60V MAX Battery Pack | 2008 No. 1597 |
| 81875 | 7.5Ah 60V MAX Battery Pack | 2008 No. 1597 |

Data for Noise Regulations (S.I. 2001 No. 1701):

| Model | Classification | Cutting Width (cm) | Measured Sound Power (dBA) | Guaranteed Sound Power (dBA) |
|--------|----------------|--------------------|----------------------------|------------------------------|
| 21852 | Lawn Mower | 52 | 87 | 88 |
| 21852T | Lawn Mower | 52 | 87 | 88 |
| 21863 | Lawn Mower | 55 | 90 | 91 |
| 21863T | Lawn Mower | 55 | 90 | 91 |
| 21864 | Lawn Mower | 55 | 90 | 92 |
| 21864T | Lawn Mower | 55 | 90 | 92 |

Determined in accordance with ISO 11094:1991 and ISO 3744:1995.

Conformity Assessment: Schedule 9

Notified Body: TÜV SÜD Industrie Service GmbH, Notifizierte Stelle 0036 nach 2000/14/EG, Notified Body 0036 according to 2000/14/EC, Westendstraße 199, 80686 München / Munich Deutschland / Germany

This declaration has been issued under the sole responsibility of the manufacturer.
The object of the declaration is in conformity with relevant UK legislation.



John Heckel
Engineering Director
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
May 1, 2024

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro U.K. Limited
Spellbrook Lane West
Bishop's Stortford
CM23 4BU
United Kingdom

UK Specifications

Machine Power, Mass, and Vibration Data

| Model | Battery Power (kW) | Machine Mass [‡] (kg) | Hand/Arm Vibration (m/s ²)* Level | | |
|--------|--------------------|--------------------------------|---|------------|-------------|
| | | | Left Hand | Right Hand | Uncertainty |
| 21852 | 1.5 | 28.5 | 1.2 | 1.2 | 0.02 |
| 21852T | 1.5 | 25.8 | 1.2 | 1.2 | 0.02 |
| 21863 | 2 | 35 | 0.3 | 0.3 | 0.1 |
| 21863T | 2 | 35 | 0.3 | 0.3 | 0.1 |
| 21864 | 2 | 39 | 0.8 | 0.7 | 0.1 |
| 21864T | 2 | 36 | 0.8 | 0.7 | 0.1 |

[‡] With empty tanks in the normal operating configuration

* Determined in accordance with EN ISO 5395-1:2013 + A1:2018.

Machine Sound Data

| Model | Sound Pressure (dBA) ¹ | |
|--------|-----------------------------------|-------------|
| | Level | Uncertainty |
| 21852 | 79 | 2 |
| 21852T | 79 | 2 |
| 21863 | 84 | 1 |
| 21863T | 84 | 1 |
| 21864 | 84 | 2 |
| 21864T | 84 | 2 |

¹ A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 5395-1: 2013.