

EU Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

| Model No. | Serial No. | Product Description | Invoice Description |
|-----------|------------------|---------------------|----------------------------|
| 68037 | 415400000 and Up | Ultra Buggy e2500 | ULTRA BUGGY E2500 ELECTRIC |

2006/42/EC (Machinery Directive), 2014/30/EU (EMC), (EU) 2023/1542 (Battery)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN ISO 12100:2010

EN ISO 3691-6:2021

EN 12895:2015

This declaration has been issued under the sole responsibility of the manufacturer.

The object of the declaration is in conformity with relevant Union harmonization legislation.

Certified:



Chad Moe
Sr. Engineering Manager
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
October 16, 2024

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro Europe NV
Nijverheidsstraat 5
2260 Oevel
Belgium



EU Specifications

Machine Power, Mass, and Vibration Data

| Model | Nominal Power (kW) | Machine Mass [‡] (kg) | Hand/Arm Vibration (m/s ²) Level * | | Whole Body Vibration (m/s ²)* | | |
|-------|--------------------|--------------------------------|--|------------|---|-------------|------|
| | | | Left Hand | Right Hand | Uncertainty Level | Uncertainty | |
| 68037 | 7 | 694 | 2.9 | 2.9 | 0.3 | 0.85 | 0.07 |

[‡] With empty tanks in the normal operating configuration

* Determined in accordance with EN 1032: 2003+A1:2009

* Whole body vibration determined in accordance with EN 1032:2003+A1:2009

Machine Sound Data

| Model | Sound Pressure (dBA) ¹ | | Sound Power (dBA) ² | |
|-------|-----------------------------------|-------------|--------------------------------|-------------|
| | Level | Uncertainty | Level | Uncertainty |
| 68037 | 69 | 3 | 89 | 3 |

¹ A-weighted levels, as measured at the operator position, determined in accordance with ISO 6396: 2008.

² Determined in accordance with ISO 6395: 2008.







BG: За да получите копие от този документ на вашия език, отидете на www.toro.com/en/parts.

CS: Kopii tohoto dokumentu ve svém jazyce získáte na adrese www.toro.com/en/parts.

DA: For at indhente en kopi af dette dokument på dit sprog skal du besøge www.toro.com/en/parts.

DE: Ein Exemplar dieses Dokuments in Ihrer Sprache erhalten Sie unter www.toro.com/en/parts.

EL: Για να λάβετε αντίγραφο του εγγράφου αυτού στη γλώσσα σας μεταβείτε στη διεύθυνση www.toro.com/en/parts.

EN: To obtain a copy of this document in your language, go to www.toro.com/en/parts.

ES: Puede obtener una copia de este documento en su idioma en www.toro.com/en/parts.

ET: Dokumendist enda keeles koopia saamiseks külastage veebilehte www.toro.com/en/parts.

FI: Tästä asiakirjasta saa omakielisen version osoitteesta www.toro.com/en/parts.

FR: Pour vous procurer une copie de ce document dans votre langue, rendez-vous sur www.toro.com/en/parts.

HR: Za primjerak Izjave o sukladnosti na Vašem jeziku idite na www.toro.com/en/parts.

HU: Ha szükséges van a dokumentum egy példányára a saját nyelven, letöltheti azt a www.toro.com/en/parts oldalról.

IT: La copia del presente documento nella vostra lingua è disponibile su www.toro.com/en/parts.

LT: Norėdami gauti šio dokumento kopiją savo kalba, apsilankykite www.toro.com/en/parts.

LV: Lai iegūtu šī dokumenta kopiju savā valodā, lūdzu, dodieties uz www.toro.com/en/parts.

NL: Voor een exemplaar van dit document in uw eigen taal, gaat u naar: www.toro.com/en/parts.

NO: For å få en kopi av dette dokumentet på ditt språk, gå til www.toro.com/en/parts.

PL: Aby uzyskać kopię dokumentu dla swojego języka, należy przejść na stronę www.toro.com/en/parts.

PT: Para obter uma cópia deste documento no seu idioma, vá a www.toro.com/en/parts.

RO: Pentru a obține un exemplar al prezentului document în limba dumneavoastră, vizitați www.toro.com/en/parts.

SK: Ak chcete získat kópiu tohto dokumentu vo svojom jazyku, prejdite na adresu www.toro.com/en/parts.

SL: Za izvod tega dokumenta v vašem jeziku obiščite spletno stran www.toro.com/en/parts.

SR: Da biste dobili primerak ovog dokumenta na svom jeziku, posetite www.toro.com/en/parts.

SV: Gå in på www.toro.com/en/parts om du vill ha ett exemplar av det här dokumentet på ditt språk.

UK Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

| Model No. | Serial No. | Product Description | Invoice Description |
|-----------|------------------|---------------------|----------------------------|
| 68037 | 415400000 and Up | Ultra Buggy e2500 | ULTRA BUGGY E2500 ELECTRIC |

S.I. 2008 No. 1597 (Machinery Safety) and S.I. 2016 No. 1091 (EMC)

This declaration has been issued under the sole responsibility of the manufacturer.
The object of the declaration is in conformity with relevant UK legislation.



Chad Moe
Sr. Engineering Manager
8111 Lyndale Ave. South
Bloomington, MN 55420, USA
October 16, 2024

Authorized Representative:

Marcel Dutrieux
Manager European Product Integrity
Toro U.K. Limited
Spellbrook Lane West
Bishop's Stortford
CM23 4BU
United Kingdom

UK Specifications

Machine Power, Mass, and Vibration Data

| Model | Nominal Power (kW) | Machine Mass [‡] (kg) | Hand/Arm Vibration (m/s ²) Level * | | Whole Body Vibration (m/s ²)* | | |
|-------|--------------------|--------------------------------|--|------------|---|-------------|------|
| | | | Left Hand | Right Hand | Uncertainty Level | Uncertainty | |
| 68037 | 7 | 694 | 2.9 | 2.9 | 0.3 | 0.85 | 0.07 |

‡ With empty tanks in the normal operating configuration

* Determined in accordance with EN 1032: 2003+A1:2009

* Whole body vibration determined in accordance with EN 1032:2003+A1:2009

Machine Sound Data

| Model | Sound Pressure (dBA) ¹ | | Sound Power (dBA) ² | |
|-------|-----------------------------------|-------------|--------------------------------|-------------|
| | Level | Uncertainty | Level | Uncertainty |
| 68037 | 69 | 3 | 89 | 3 |

¹ A-weighted levels, as measured at the operator position, determined in accordance with ISO 6396: 2008.

² Determined in accordance with ISO 6395: 2008.