

# EU Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

| Model No.          | Serial No.       | Product Description                                                 | Invoice Description     |
|--------------------|------------------|---------------------------------------------------------------------|-------------------------|
| 30495TC with 30240 | 417000000 and Up | Groundsmaster 7200 Series Traction Unit with CE Kit 30240 installed | GM7200 W/O DECK, CRATED |
| 30695 with 30240   | 417000000 and Up | Groundsmaster 7210 Series Traction Unit with CE Kit 30240 installed | GM7210 W/NO DECK T4F    |

Conform(s) to the following legislation:

2000/14/EC (Noise) and 2005/88/EC (Noise), 2006/42/EC (Machinery Directive), 2014/30/EU (EMC), 2014/53/EU (RE D)

Each model listed has been evaluated with the following standards and/or other normative documents:

EN 55012:2007 + A1:2009

EN ISO 14982:2009

Further, the following accessories/attachments conform to the directives indicated below when installed according to instructions on the models listed above:

| Model            | Description                                                  | Directive              |
|------------------|--------------------------------------------------------------|------------------------|
| 03247            | Operator Cooling Fan                                         | 2006/42/EC, 2014/30/EU |
| 03248            | Switch Panel                                                 | 2006/42/EC, 2014/30/EU |
| 30304            | 72in Guardian Completion Kit                                 | 2006/42/EC             |
| 30306            | 62in Guardian Completion Kit                                 | 2006/42/EC             |
| 30346            | 72in Fine Recycler Completion Kit                            | 2006/42/EC             |
| 30353 and 30685  | 72in Base Deck with CE Kit                                   | 2006/42/EC             |
| 30359            | Universal Sunshade                                           | 2006/42/EC             |
| 30374            | Road Light Kit                                               | 2014/30/EU             |
| 30377            | Rear Quick Attach System                                     | 2006/42/EC             |
| 30378            | V-plow Mounting Kit                                          | 2006/42/EC             |
| 30380            | Aux. Hydraulic Power Kit                                     | 2006/42/EC             |
| 30382            | Power Port/Elec Acc                                          | 2014/30/EU             |
| 30456 and 30658  | 60in Side Discharge Deck with CE Kit                         | 2006/42/EC             |
| 30457 and 30683  | 62in Base Deck with CE Kit                                   | 2006/42/EC             |
| 30469            | 62in Rear Discharge Completion Kit                           | 2006/42/EC             |
| 30472            | 72in Rear Discharge Completion Kit                           | 2006/42/EC             |
| 30481 and 30679  | 72in Side Discharge Deck with CE Kit                         | 2006/42/EC             |
| 30483            | Jack Stand Kit                                               | 2006/42/EC             |
| 30669            | Universal Sunshade, White                                    | 2006/42/EC             |
| 30671            | Universal Sunshade, Red                                      | 2006/42/EC             |
| 31101 with 30687 | 100in Deck with CE Kit                                       | 2006/42/EC             |
| 31211 with 31213 | Triple bag grass collection kit with blower (for deck 30456) | 2006/42/EC             |

| Model            | Description                                                  | Directive              |
|------------------|--------------------------------------------------------------|------------------------|
| 31211 with 31212 | Triple bag grass collection kit with blower (for deck 30481) | 2006/42/EC             |
| 31251            | Slope Sensor Kit                                             | 2006/42/EC, 2014/30/EU |
| 105-7273         | Striping Kit                                                 | 2006/42/EC             |
| 108-5273         | Leaf Mulching Kit—72in SDD                                   | 2006/42/EC             |
| 114-4090         | Weight Bracket Kit                                           | 2006/42/EC             |
| 138-2700         | Work Light Kit                                               | 2006/42/EC, 2014/30/EU |
| 138-2699         | Beacon Kit                                                   | 2006/42/EC, 2014/30/EU |
| 114-4096         | Weight (42 lb)                                               | 2006/42/EC             |
| 122-3876         | Telematics Gateway Lite                                      | 2014/53/EU             |



Data for Noise Directive (2000/14/EC):

| Model                                              | Classification | Cutting Width (cm) | Measured Sound Power (dBA)* | Guaranteed Sound Power (dBA) | Engine Speed (rpm) |
|----------------------------------------------------|----------------|--------------------|-----------------------------|------------------------------|--------------------|
| 30495TC with 30240, 30481, and 30679               | Lawn Mower     | 183                | 103                         | 104                          | 3150               |
| 30495TC with 30240, 30456, and 30658               | Lawn Mower     | 153                | 104                         | 105                          | 3150               |
| 30495TC with 30240, 30456, 30658, 31211, and 31213 | Lawn Mower     | 153                | 104                         | 105                          | 2920               |
| 30495TC with 30240, 30353, 30685, and 30304        | Lawn Mower     | 183                | 100                         | 101                          | 3150               |
| 30495TC with 30240, 30353, 30685, and 30346        | Lawn Mower     | 183                | 103                         | 104                          | 3150               |
| 30495TC with 30240, 30353, 30685, and 30472        | Lawn Mower     | 183                | 101                         | 102                          | 3150               |
| 30495TC with 30240, 30457, 30683, and 30306        | Lawn Mower     | 158                | 101                         | 102                          | 3150               |
| 30495TC with 30240, 30457, 30683, and 30469        | Lawn Mower     | 158                | 101                         | 102                          | 3150               |
| 30695 with 30240, 30481, and 30679                 | Lawn Mower     | 183                | 103                         | 103                          | 3060               |
| 30695 with 30240, 30456, and 30658                 | Lawn Mower     | 153                | 103                         | 104                          | 3060               |
| 30695 with 30240, 30353, 30685, and 30304          | Lawn Mower     | 183                | 102                         | 103                          | 3060               |
| 30695 with 30240, 30353, 30685, and 30346          | Lawn Mower     | 183                | 103                         | 103                          | 3060               |
| 30695 with 30240, 30353, 30685, and 30472          | Lawn Mower     | 183                | 102                         | 102                          | 3060               |
| 30695 with 30240, 30457, 30683, and 30306          | Lawn Mower     | 158                | 101                         | 102                          | 3060               |
| 30695 with 30240, 30457, 30683, and 30469          | Lawn Mower     | 158                | 101                         | 101                          | 3060               |
| 30695 with 30240, 31101, and 30687                 | Lawn Mower     | 254                | 102                         | 103                          | 3060               |

Determined in accordance with ISO 11094: 1991

Conformity Assessment: Annex VIII

Notified Body: TÜV SÜD Industrie Service GmbH, Notifizierte Stelle 0036 nach 2000/14/EG, Notified Body 0036 according 2000/14/EC, Westendstraße 199, 80686 München / Munich, Deutschland / Germany

This declaration has been issued under the sole responsibility of the manufacturer.

The object of the declaration is in conformity with relevant Union harmonization legislation.

Certified:

A handwritten signature in black ink, reading "Tom Langworthy". The signature is fluid and cursive, with a long horizontal stroke extending to the left.

Tom Langworthy  
Engineering Director  
8111 Lyndale Ave. South  
Bloomington, MN 55420, USA  
March 20, 2025

Authorized Representative:

Marcel Dutrieux  
Manager European Product Integrity  
Toro Europe NV  
Nijverheidsstraat 5  
2260 Oevel  
Belgium

# EU Specifications

## Machine Power, Mass, and Vibration Data

| Model                                       | Nominal Power (kW) | Machine Mass <sup>‡</sup> (kg) | Hand/Arm Vibration (m/s <sup>2</sup> )* Level |            |             | Whole Body Vibration (m/s <sup>2</sup> )* |             |
|---------------------------------------------|--------------------|--------------------------------|-----------------------------------------------|------------|-------------|-------------------------------------------|-------------|
|                                             |                    |                                | Left Hand                                     | Right Hand | Uncertainty | Level                                     | Uncertainty |
| 30495TC with 30240, 30481, and 30679        | 18.5               | 949                            | 1.0                                           | 3.4        | 1.7         | 0.23                                      | 0.12        |
| 30495TC with 30240, 30456, and 30658        | 18.5               | 915                            | 1.0                                           | 3.4        | 1.7         | 0.23                                      | 0.12        |
| 30495TC with 30240, 30353, 30685, and 30304 | 18.5               | 889                            | 1.0                                           | 3.4        | 1.7         | 0.23                                      | 0.12        |
| 30495TC with 30240, 30353, 30685, and 30346 | 18.5               | 889                            | 1.0                                           | 3.4        | 1.7         | 0.23                                      | 0.12        |
| 30495TC with 30240, 30353, 30685, and 30472 | 18.5               | 889                            | 1.0                                           | 3.4        | 1.7         | 0.23                                      | 0.12        |
| 30495TC with 30240, 30457, 30683, and 30306 | 18.5               | 866                            | 1.0                                           | 3.4        | 1.7         | 0.23                                      | 0.12        |
| 30495TC with 30240, 30457, 30683, and 30469 | 18.5               | 866                            | 1.0                                           | 3.4        | 1.7         | 0.23                                      | 0.12        |
| 30695 with 30240, 30481, and 30679          | 26.5               | 1048                           | 1.3                                           | 3.9        | 0.4         | 0.28                                      | 0.11        |
| 30695 with 30240, 30456, and 30658          | 26.5               | 1024                           | 1.2                                           | 1.6        | 0.2         | 0.41                                      | 0.09        |
| 30695 with 30240, 30353, 30685, and 30304   | 26.5               | 1035                           | 2.2                                           | 2.8        | 0.3         | 0.27                                      | 0.09        |
| 30695 with 30240, 30353, 30685, and 30346   | 26.5               | 1035                           | 1.1                                           | 2.8        | 0.8         | 0.24                                      | 0.06        |
| 30695 with 30240, 30353, 30685, and 30472   | 26.5               | 1049                           | 1.8                                           | 1.3        | 1.0         | 0.34                                      | 0.09        |
| 30695 with 30240, 30457, 30683, and 30306   | 26.5               | 1016                           | 1.8                                           | 2.5        | 0.6         | 0.37                                      | 0.06        |
| 30695 with 30240, 30457, 30683, and 30469   | 26.5               | 1030                           | 2.7                                           | 2.4        | 0.7         | 0.31                                      | 0.05        |
| 30695 with 30240, 31101, and 30687          | 26.5               | 1200                           | 1.6                                           | 1.3        | 0.6         | 0.41                                      | 0.14        |


<sup>‡</sup> With empty tanks in the normal operating configuration

\* Determined in accordance with EN ISO 5395-1:2013 + A1:2018

## Machine Sound Data

| Model              | Sound Pressure (dBA) <sup>1</sup> |             |
|--------------------|-----------------------------------|-------------|
|                    | Level                             | Uncertainty |
| 30495TC with 30353 | 87                                | 1           |
| 30495TC with 30481 | 90                                | 1           |
| 30495TC with 30356 | 90                                | 1           |
| 30495TC with 30457 | 89                                | 1           |
| 30695 with 30481   | 88                                | 1           |
| 30695 with 30456   | 89                                | 1           |
| 30695 with 30353   | 89                                | 1           |
| 30695 with 30457   | 88                                | 1           |
| 30695 with 31101   | 89                                | 1           |

<sup>1</sup> A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 5395-1:2013 + A1:2018



**BG:** За да получите копие от този документ на вашия език, отидете на [www.toro.com/en/parts](http://www.toro.com/en/parts).

**CS:** Kopii tohoto dokumentu ve svém jazyce získáte na adrese [www.toro.com/en/parts](http://www.toro.com/en/parts).

**DA:** For at indhente en kopi af dette dokument på dit sprog skal du besøge [www.toro.com/en/parts](http://www.toro.com/en/parts).

**DE:** Ein Exemplar dieses Dokuments in Ihrer Sprache erhalten Sie unter [www.toro.com/en/parts](http://www.toro.com/en/parts).

**EL:** Για να λάβετε αντίγραφο του εγγράφου αυτού στη γλώσσα σας μεταβείτε στη διεύθυνση [www.toro.com/en/parts](http://www.toro.com/en/parts).

**EN:** To obtain a copy of this document in your language, go to [www.toro.com/en/parts](http://www.toro.com/en/parts).

**ES:** Puede obtener una copia de este documento en su idioma en [www.toro.com/en/parts](http://www.toro.com/en/parts).

**ET:** Dokumendist enda keeles koopia saamiseks külastage veebilehte [www.toro.com/en/parts](http://www.toro.com/en/parts).

**FI:** Tästä asiakirjasta saa omakielisen version osoitteesta [www.toro.com/en/parts](http://www.toro.com/en/parts).

**FR:** Pour vous procurer une copie de ce document dans votre langue, rendez-vous sur [www.toro.com/en/parts](http://www.toro.com/en/parts).

**HR:** Za primjerak Izjave o sukladnosti na Vašem jeziku idite na [www.toro.com/en/parts](http://www.toro.com/en/parts).

**HU:** Ha szükséges van a dokumentum egy példányára a saját nyelvén, letöltheti azt a [www.toro.com/en/parts](http://www.toro.com/en/parts) oldalról.

**IT:** La copia del presente documento nella vostra lingua è disponibile su [www.toro.com/en/parts](http://www.toro.com/en/parts).

**LT:** Norėdami gauti šio dokumento kopiją savo kalba, apsilankykite [www.toro.com/en/parts](http://www.toro.com/en/parts).

**LV:** Lai iegūtu šī dokumenta kopiju savā valodā, lūdzu, dodieties uz [www.toro.com/en/parts](http://www.toro.com/en/parts).

**NL:** Voor een exemplaar van dit document in uw eigen taal, gaat u naar: [www.toro.com/en/parts](http://www.toro.com/en/parts).

**NO:** For å få en kopi av dette dokumentet på ditt språk, gå til [www.toro.com/en/parts](http://www.toro.com/en/parts).

**PL:** Aby uzyskać kopię dokumentu dla swojego języka, należy przejść na stronę [www.toro.com/en/parts](http://www.toro.com/en/parts).

**PT:** Para obter uma cópia deste documento no seu idioma, vá a [www.toro.com/en/parts](http://www.toro.com/en/parts).

**RO:** Pentru a obține un exemplar al prezentului document în limba dumneavoastră, vizitați [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SK:** Ak chcete získať kópiu tohto dokumentu vo svojom jazyku, prejdite na adresu [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SL:** Za izvod tega dokumenta v vašem jeziku obiščite spletno stran [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SR:** Da biste dobili primerak ovog dokumenta na svom jeziku, posetite [www.toro.com/en/parts](http://www.toro.com/en/parts).

**SV:** Gå in på [www.toro.com/en/parts](http://www.toro.com/en/parts) om du vill ha ett exemplar av det här dokumentet på ditt språk.

# UK Declaration of Conformity

The Toro Company®, 8111 Lyndale Ave. South, Bloomington, MN, USA, declares that the following unit(s):

| Model No.          | Serial No.       | Product Description                                                 | Invoice Description     |
|--------------------|------------------|---------------------------------------------------------------------|-------------------------|
| 30495TC with 30240 | 417000000 and Up | Groundsmaster 7200 Series Traction Unit with CE Kit 30240 installed | GM7200 W/O DECK, CRATED |
| 30695 with 30240   | 417000000 and Up | Groundsmaster 7210 Series Traction Unit with CE Kit 30240 installed | GM7210 W/NO DECK T4F    |

Conform(s) to the following legislation:

S.I. 2001 No. 1701 (Noise), S.I. 2008 No. 1597 (Machinery Safety), S.I. 2016 No. 1091 (EMC), S.I. 2017 No. 1206 (Radio Equipment)

Further, the following accessories/attachments conform to the UK national laws indicated below when installed according to instructions on the models listed above:

| Model            | Description                                                  | Regulation                   |
|------------------|--------------------------------------------------------------|------------------------------|
| 03247            | Operator Cooling Fan                                         | 2001 No. 1701, 2016 No. 1091 |
| 03248            | Switch Panel                                                 | 2001 No. 1701, 2016 No. 1091 |
| 30304            | 72in Guardian Completion Kit                                 | 2008 No 1597                 |
| 30306            | 62in Guardian Completion Kit                                 | 2008 No 1597                 |
| 30346            | 72in Fine Recycler Completion Kit                            | 2008 No 1597                 |
| 30353 and 30685  | 72in Base Deck with CE Kit                                   | 2008 No 1597                 |
| 30359            | Universal Sunshade                                           | 2008 No 1597                 |
| 30374            | Road Light Kit                                               | 2008 No 1597                 |
| 30377            | Rear Quick Attach System                                     | 2008 No 1597                 |
| 30378            | V-plow Mounting Kit                                          | 2008 No 1597                 |
| 30380            | Aux. Hydraulic Power Kit                                     | 2008 No 1597                 |
| 30382            | Power Port/Elec Acc                                          | 2008 No 1597                 |
| 30456 and 30658  | 60in Side Discharge Deck with CE Kit                         | 2008 No 1597                 |
| 30457 and 30683  | 62in Base Deck with CE Kit                                   | 2008 No 1597                 |
| 30469            | 62in Rear Discharge Completion Kit                           | 2008 No 1597                 |
| 30472            | 72in Rear Discharge Completion Kit                           | 2008 No 1597                 |
| 30481 and 30679  | 72in Side Discharge Deck with CE Kit                         | 2008 No 1597                 |
| 30483            | Jack Stand Kit                                               | 2008 No 1597                 |
| 30669            | Universal Sunshade, White                                    | 2008 No 1597                 |
| 30671            | Universal Sunshade, Red                                      | 2008 No 1597                 |
| 31101 with 30687 | 100in Deck with CE Kit                                       | 2008 No 1597                 |
| 31211 with 31213 | Triple bag grass collection kit with blower (for deck 30456) | 2008 No 1597                 |
| 31211 with 31212 | Triple bag grass collection kit with blower (for deck 30481) | 2008 No 1597                 |
| 31251            | Slope Sensor Kit                                             | 2001 No. 1701, 2016 No. 1091 |

| Model    | Description                | Regulation                   |
|----------|----------------------------|------------------------------|
| 105-7273 | Striping Kit               | 2008 No 1597                 |
| 108-5273 | Leaf Mulching Kit—72in SDD | 2008 No 1597                 |
| 114-4090 | Weight Bracket Kit         | 2008 No 1597                 |
| 138-2700 | Work Light Kit             | 2001 No. 1701, 2016 No. 1091 |
| 138-2699 | Beacon Kit                 | 2001 No. 1701, 2016 No. 1091 |
| 114-4096 | Weight (42 lb)             | 2008 No 1597                 |



Data for Noise Regulations (S.I. 2001 No. 1701):

| <b>Model</b>                                       | <b>Classification</b> | <b>Cutting Width (cm)</b> | <b>Measured Sound Power (dBA)*</b> | <b>Guaranteed Sound Power (dBA)</b> | <b>Engine Speed (rpm)</b> |
|----------------------------------------------------|-----------------------|---------------------------|------------------------------------|-------------------------------------|---------------------------|
| 30495TC with 30240, 30481, and 30679               | Lawn Mower            | 183                       | 103                                | 104                                 | 3150                      |
| 30495TC with 30240, 30456, and 30658               | Lawn Mower            | 153                       | 104                                | 105                                 | 3150                      |
| 30495TC with 30240, 30456, 30658, 31211, and 31213 | Lawn Mower            | 153                       | 104                                | 105                                 | 2920                      |
| 30495TC with 30240, 30353, 30685, and 30304        | Lawn Mower            | 183                       | 100                                | 101                                 | 3150                      |
| 30495TC with 30240, 30353, 30685, and 30346        | Lawn Mower            | 183                       | 103                                | 104                                 | 3150                      |
| 30495TC with 30240, 30353, 30685, and 30472        | Lawn Mower            | 183                       | 101                                | 102                                 | 3150                      |
| 30495TC with 30240, 30457, 30683, and 30306        | Lawn Mower            | 158                       | 101                                | 102                                 | 3150                      |
| 30495TC with 30240, 30457, 30683, and 30469        | Lawn Mower            | 158                       | 101                                | 102                                 | 3150                      |
| 30695 with 30240, 30481, and 30679                 | Lawn Mower            | 183                       | 103                                | 103                                 | 3060                      |
| 30695 with 30240, 30456, and 30658                 | Lawn Mower            | 153                       | 103                                | 104                                 | 3060                      |
| 30695 with 30240, 30353, 30685, and 30304          | Lawn Mower            | 183                       | 102                                | 103                                 | 3060                      |
| 30695 with 30240, 30353, 30685, and 30346          | Lawn Mower            | 183                       | 103                                | 103                                 | 3060                      |
| 30695 with 30240, 30353, 30685, and 30472          | Lawn Mower            | 183                       | 102                                | 102                                 | 3060                      |
| 30695 with 30240, 30457, 30683, and 30306          | Lawn Mower            | 158                       | 101                                | 102                                 | 3060                      |
| 30695 with 30240, 30457, 30683, and 30469          | Lawn Mower            | 158                       | 101                                | 101                                 | 3060                      |
| 30695 with 30240, 31101, and 30687                 | Lawn Mower            | 254                       | 102                                | 103                                 | 3060                      |

Determined in accordance with ISO 11094: 1991

Conformity Assessment: Schedule 11

Notified Body: TÜV SÜD Industrie Service GmbH, Notifizierte Stelle 0036 nach 2000/14/EG, Notified Body 0036 according 2000/14/EC, Westendstraße 199, 80686 München / Munich, Deutschland / Germany

This declaration has been issued under the sole responsibility of the manufacturer.  
The object of the declaration is in conformity with relevant UK legislation.

A handwritten signature in black ink, reading "Tom Langworthy". The signature is fluid and cursive, with a long horizontal stroke extending to the left.

Tom Langworthy  
Engineering Director  
8111 Lyndale Ave. South  
Bloomington, MN 55420, USA  
March 20, 2025

Authorized Representative:

Marcel Dutrieux  
Manager European Product Integrity  
Toro U.K. Limited  
Spellbrook Lane West  
Bishop's Stortford  
CM23 4BU  
United Kingdom

# UK Specifications

## Machine Power, Mass, and Vibration Data

| Model                                       | Nominal Power (kW) | Machine Mass <sup>‡</sup> (kg) | Hand/Arm Vibration (m/s <sup>2</sup> )* Level |            |             | Whole Body Vibration (m/s <sup>2</sup> )* |             |
|---------------------------------------------|--------------------|--------------------------------|-----------------------------------------------|------------|-------------|-------------------------------------------|-------------|
|                                             |                    |                                | Left Hand                                     | Right Hand | Uncertainty | Level                                     | Uncertainty |
| 30495TC with 30240, 30481, and 30679        | 18.5               | 949                            | 1.0                                           | 3.4        | 1.7         | 0.23                                      | 0.12        |
| 30495TC with 30240, 30456, and 30658        | 18.5               | 915                            | 1.0                                           | 3.4        | 1.7         | 0.23                                      | 0.12        |
| 30495TC with 30240, 30353, 30685, and 30304 | 18.5               | 889                            | 1.0                                           | 3.4        | 1.7         | 0.23                                      | 0.12        |
| 30495TC with 30240, 30353, 30685, and 30346 | 18.5               | 889                            | 1.0                                           | 3.4        | 1.7         | 0.23                                      | 0.12        |
| 30495TC with 30240, 30353, 30685, and 30472 | 18.5               | 889                            | 1.0                                           | 3.4        | 1.7         | 0.23                                      | 0.12        |
| 30495TC with 30240, 30457, 30683, and 30306 | 18.5               | 866                            | 1.0                                           | 3.4        | 1.7         | 0.23                                      | 0.12        |
| 30495TC with 30240, 30457, 30683, and 30469 | 18.5               | 866                            | 1.0                                           | 3.4        | 1.7         | 0.23                                      | 0.12        |
| 30695 with 30240, 30481, and 30679          | 26.5               | 1048                           | 1.3                                           | 3.9        | 0.4         | 0.28                                      | 0.11        |
| 30695 with 30240, 30456, and 30658          | 26.5               | 1024                           | 1.2                                           | 1.6        | 0.2         | 0.41                                      | 0.09        |
| 30695 with 30240, 30353, 30685, and 30304   | 26.5               | 1035                           | 2.2                                           | 2.8        | 0.3         | 0.27                                      | 0.09        |
| 30695 with 30240, 30353, 30685, and 30346   | 26.5               | 1035                           | 1.1                                           | 2.8        | 0.8         | 0.24                                      | 0.06        |
| 30695 with 30240, 30353, 30685, and 30472   | 26.5               | 1049                           | 1.8                                           | 1.3        | 1.0         | 0.34                                      | 0.09        |
| 30695 with 30240, 30457, 30683, and 30306   | 26.5               | 1016                           | 1.8                                           | 2.5        | 0.6         | 0.37                                      | 0.06        |
| 30695 with 30240, 30457, 30683, and 30469   | 26.5               | 1030                           | 2.7                                           | 2.4        | 0.7         | 0.31                                      | 0.05        |
| 30695 with 30240, 31101, and 30687          | 26.5               | 1200                           | 1.6                                           | 1.3        | 0.6         | 0.41                                      | 0.14        |

<sup>‡</sup> With empty tanks in the normal operating configuration

\* Determined in accordance with EN ISO 5395-1:2013 + A1:2018

## Machine Sound Data

| Model              | Sound Pressure (dBA) <sup>1</sup> |             |
|--------------------|-----------------------------------|-------------|
|                    | Level                             | Uncertainty |
| 30495TC with 30353 | 87                                | 1           |
| 30495TC with 30481 | 90                                | 1           |
| 30495TC with 30356 | 90                                | 1           |
| 30495TC with 30457 | 89                                | 1           |
| 30695 with 30481   | 88                                | 1           |
| 30695 with 30456   | 89                                | 1           |
| 30695 with 30353   | 89                                | 1           |
| 30695 with 30457   | 88                                | 1           |
| 30695 with 31101   | 89                                | 1           |

<sup>1</sup> A-weighted levels, as measured at the operator position, determined in accordance with EN ISO 5395-1:2013 + A1:2018